

WESTERLY YACHTS INC. P.O. BOX 3374, ANNAPOLIS CITY MARINA, 410 SEVERN AVENUE, ANNAPOLIS, MD. 21403 *Telephone:* (301) 268 1877 (ANNAPOLIS) (301) 269 9283 (BALTIMORE)

WESTERLY STORM 33

THE STANDARD U.S. SPECIFICATION COMPRISES:

JUNE 1987

SAILS & RIGGING: Mainsail and No. 1 Jib in racing sail cloth with tell tales on mainsail. Twin luff groove system. Silver anodised mast and boom, main and jib halyards in Kevlar Terylene running rigging. Halyards and slab reefing lines led aft to cockpit. Topping lift. Boom vang. Stainless steel standing rigging with twin backstay with backstay adjuster.

DECK FITTINGS: 24" stanchions with twin stainless steel PVC covered lifelines. Twin headsail tracks port and starboard with one car in each track. Stainless steel bow rail, sheet stopper. 351b. plough anchor and stowage, 90ft. 5/16 chain. Cleats: 2 foredeck, 4 midships, 2 stern cleats. Transom step. Stainless steel stay and shroud plates. Teak coachroof handrails. Drained propane locker, with bottle stowage. Propane solenoid switch. No regulator. Four fenders. 2 x Oft. dock lines. Navigation lights, steaming light, deck light. Manual bilge pump. 2 bulkhead compasses. Winches: 2 two speed halyard winches, type 25c. 2 two speed foresheet winches, type 27c. 2 winch handles. 2 cockpit coaming lockers. Mainsheet track and traveller. Wheel steering. Grey non-slip painted deck surface. Grey treadmaster cockpit seats. Foresheet jammers on coamings.

CABIN FITTINGS: Forecabin - Two single berths, hanging locker, washbasin. Deck hatch. Carpeted cabin sole. Curtain track. Saloon - Port and starboard single settee berths with lee cloths. Centre line table with bottle stowage and dust tray under, side lockers port and starboard. Holly and Teak cabin sole. Double berth conversion. Curtain track. Vent. 2 opening windows. Deck hatch over table. Galley - Gimballed 2 burner propane cooker with oven and broiler and crash bar. Stowage for crockery, cutlery and dry stores. Pan stowage. Twin stainless steel sinks with cold water supply from 43 US gallons stainless steel tanks. Work top with teak fiddles. Chopping board. Insulated drained ice box with shelf. Trash bin. Chart Table - With chart stowage under desk top. Pencil holder. Separate chart seat. Provision for instruments. Book rack stowage. Chart light. Wet Locker aft of chart table with drain to bilges. Heads - Marine WC with holding tank, moulded washbasin with cold supply. Opening window into bridge deck. Fixed window into cockpit. Carpeted sole. Curtain track. Lights - 2 reading lights in forecabin, 4 lights in saloon, 1 in heads, 1 over galley, 2 in aft cabin, 1 in sail locker, 1 in engine compartment. lectrics - Central 12 way switch panel with circuit breakers by chart table. Cushions - 5" berth cushions with 4" seatbacks in saloon in choice of colours.

ENGINE: Volvo 2002, 18 hp, 2 cylinder diesel in sound deadened engine compartment. Flexible mountings. 50 amp alternator. Fixed 2-bladed propeller. Water cooled exhaust. Cockpit instrument panel. Electric start. Double batteries, total capacity 204 amp/hrs. 22 US gallons fuel tank.

HULL: White hull. Fin keel. Moulded coloured trim line. Cove Line. Teak rubbing strake. Marked waterline. Bronze underwater skin fittings. Self draining cockpit. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- 1. A 10% deposit reserves a boat at the current price. This payment is made subject to contract.
- 2. Alternatively, 10% deposit payable on signature of the contract. On receipt of the signed contract a delivery date will be confirmed.
- 3. The balance outstanding is payable approximately 2 days before arrival of the boat in US port of destination.
- 4. For other conditions see our standard terms and conditions of sale.

	2	SAILS & RIGGING	CSM22		[]]_	ACRYLIC SPLASH CURTAINS - BLUE
CODE	SUPPLY	OPTIONS	CSM23		Eq]_	ACRYLIC SPLASH CURTAINS - BEIGE
CSM10	[]	NO.1 GENOA - CAMBER STRIPES AND TELL TALES	CSM24	RDAOD	E R]	NAME ON SPLASH CURTAINS
CSM11	[]	NO.2 GENOA - CAMBER STRIPES AND TELL TAILS					(¢ \$3,50 PER LETTER)
CSM12	[.]	ROTOSTAY REEFKIT WITH SPECIAL	CSM25	COACH]]	ADDITIONAL ANCHOR CHAIN - 5 FATHOMS
	NOT REPART	NO.1 GENOA AND SUNCOVER IN LIEU OF STANDARD NO.1 JIB	CSM26		E]	ADDITIONAL ANCHOR CHAIN - 10 FATHOMS
CSM13 CSM14	[]	STORM JIB SPINNAKER RADIAL HEAD	CSM27		E]	COCKPIT CUSHIONS - BLUE PVC
CSM14	[]	SPINNAKER TRI RADIAL	CSM28	••••	[]	COCKPIT CUSHIONS - GOLD PVC
CSM16	[]	SPINNAKER GEAR - SHEETS IN	CSM29 CSM210		L]	COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC
6	10 ToA - BI	KEVLAR AND GUYS, BLOCKS, STOWAGE	CSM210 CSM211		20]	TEAK COCKPIT SEATS
CSM17	[]	SPINNAKER POLE AND DECK STOWAGE	CSM212		E]_	POWER SOCKET IN COCKPIT - ONE
CSM18		ACRYLIC MAINSAIL COVER - BLUE			-	_	N.B. THE USE OF STATE PRIMER IN
CSM19		ACRYLIC MAINSAIL COVER - BEIGE	CSM215 CSM216		-	-	ANCHOR WINDLASS - SL HYSPEED ANCHOR WINDLASS - SEAWOLF ELE-
-	5 3	SIGNAL HALYARDS TRI-COLOUR MASTHEAD LIGHT	COMIZIO	LA URAM	Q.E		ANCHOR WINDLASS - SEAWOLF ELE- TRIC WITH FOOT SWITCH
CSM103	[]	INSULATED BACKSTAY	CSM217		L		ANCHOR WINDLASS - SEAWOLF ELE- TRIC WITH FOOT SWITCH AND REMOTE SWITCH
CSM104	[]	FIRDELL BLIPPER RADAR REFLECTOR	CSM218	3	[]	ADDITIONAL CLEATS (STATE POS-
CSM105	[]	NYLON SHROUD ROLLERS	CSM219		F	1	ADDITIONAL 6" FAIRLEADS (STATE
CSM106	ATE OR A WELDE	RIGGING SCREW COVERS			L	R.D.	POSITION ON SCALE DECK PLAN)
CSM107	MAEN RAPOR	RIGID BOOM VANG IN LIEU OF STD VANG)	-	-	DECK PAINT - BLUE DECK PAINT - BEIGE
	3 []	JOCKEY POLE WITH STOWAGE		5	Ap]	TREADMASTER COCKPIT SEATS
CSM109	••••• []	ADDITIONAL WINCH HANDLES (EACH)	TOTAL	ti med	i gel		- BEIGE /Continued
CIGMO1	ГТ	DECK FITTINGS		•••••			B. BAD
CSM21 TOTAL		LIFELINES - PVC COVERED			•••	•••	•
	- beve topo	otal	C'FWD		•••	•••	
C'FWD		••••					

CSM224[]	ACRYLIC SPRAYHOOD - BLUE				C	CABIN FITTINGS
CSM225[]	ACRYLIC SPRAYHOOD - BEIGE	CSM31		[]		HOT & COLD PRESSURISED WATER TO GALLEY, BASIN & SHOWER IN
CSM226[]	TREADMASTER DECKS & COACHROOF IN LIEU OF STANDARD - BLUE					HEADS
CSM227[]	TREADMASTER DECKS & COACHROOF IN LIEU OF STANDARD - BEIGE	CSM35	91978	[]		11OV SHORE SUPPLY WITH RING MAIN, 3 SOCKETS ONE IN EACH CABIN
CSM251[]	TREADMASTER DECKS & COACHROOF IN LIEU OF STANDARD - GREY	CSM36	•••••	[]	11	110V BATTERY CHARGER
CSM228[]	TREADMASTER SIDE DECKS ONLY	CSM38	·	[]	RI	110V IMMERSION HEATER FOR SHORE POWER OPTION
CSM229[]	- BLUE TREADMASTER SIDE DECKS ONLY	CSM39				ADDITIONAL 8 WAY CIRCUIT BREAKER PANEL AT CHART TABLE
	- BEIGE	CSM310		[]	R	SEAWATER PUMP TO GALLEY
CSM252 []	TREADMASTER SIDE DECKS ONLY - GREY	CSM311		[]		WC HOLDING TANK
CSM230[]	JACKSTAY LIFELINES ON SIDE DECKS	CSM313		[]]	EXTRA LEE CLOTHS - AFT CAE
CSM238[]	WINCH HANDLE POCKETS (2)	CSM315		[]]	REFRIGERATION UNIT IN ICE BOX
CSM236[]]	BOARDING LADDER	CSM316		[]		DIESEL FIRED CENTRAL HEATING
CSM237[]	STAINLESS STEEL TRANSOM STEPS (2)			100 1	n	SYSTEM WITH 3 OUTLETS, ONE PER CABIN
CSM239[]	ANCHOR WINDLASS GD MANUAL	CSM317	• • • • •	[]]	ADDITIONAL BILGE PUMP - MANUAL
CSM240[]	ANCHOR WINDLASS G MANUAL	CSM318				OPENING WINDOW - AFT CABIN TO COCKPIT SIDE
	WINCHES	CSM319		[]]	FLY SCREEN FOR COCKPIT WINDOW
HALYARD WINCHES		CSM320	••••	[]]	EXTRA SALOON HATCH OVER TABLE IN LIEU OF STANDARD VENTILITE
TALRICADS (STATE	2 X BARLOW 25ST OR EQUIVALENT - TWO SPEED SELF TAILING IN	CSM321				SENTOS + + + + + I HALON SHROLD R
	LIEU OF STANDARD	CSM322		[]	00	ROLLER BLINDS - FORWARD HATCH
	2 X BARLOW 27ST OR EQUIVALENT	CSM323		_		ROLLER BLINDS - MAIN HATCH IN SALOON
errai ilazo	- TWO SPEED SELF TAILING IN LIEU OF STANDARD	CSM324		[]]	ROLLER BLINDS - ADDITIONAL
TOTAL	· /Continued					HATCH OVER TABLE
B'FWD					C	USHION COLOURS
•••••		VELVET				MA - REMILITEL [] (SNO)
C'FWD				201-1		WESTERLY BLUE SKY
		TOTAL				
		B'FWD	• • • • • •	••••	• •	
		••••	• • • • • •	• • • •	• •	
		C'FWD	• • • • • •	• • • •	• •	

CSM384	••••		WESTERLY OYSTER	CSM522		[]	HUNTER WITH REPEATER FOR SPEED AND DEPTH - DIGITAL
CSM386	• • • • •	[]	WESTERLY SALMON	CSM523		[]	HORNET 4 WITH ANALOGUE
TWEEDS							REPEATER
CSM387	•••••	[]	WESTERLY RUSSETT	CSM524	••••	[]	HORNET 4 WITH DIGITAL REPEATER
CSM389	• • • • •	[]	WESTERLY BLUE SEA	CSM525		[]	HECTA DEPTH MONITOR WITH ALARM - ANALOGUE REPEATER
CSM390	• • • • •	[]	WESTERLY CHAMPAGNE	CSM526		[]	HECTA DEPTH MONITOR WITH ALARM - DIGITAL REPEATER
			ENGINE				- DIGITAL ABPEALER
CSM41	• • • • •	[]	FUEL/WATER SEPARATOR IN FUEL	DECCA N			ANTENNA FOR DECCA III
CSM42		[]	ENGINE SPARES KIT				
CSM43	••••	Γ]	ТАСНОМЕТЕВ				POWER SUPPLY FOR DECCA III
CSM44			ENGINE HOUR METER	CSM532			DECCA III (COMPLETE INSTAL- LATION)
CSM45		[]	STRIPPER PROPELLER PROTECTOR 2 BLADES				HULL
CSM46	••••	[]	STRIPPER PROPELLER PROTECTOR	CSM61	• • • • •	[]	MOULDED TRIM LINE - MAROON SCOTT BADER REF NO
		NAVIO	3 BLADES GATIONAL EQUIPMENT				N.B. THE USE OF ETCH PRIMER IN ANY PAINT PROGRAMME WILL INVALID HULL WARRANTY
CSM51	••••	[],	V-TRONIX COMBINED VHF AERIAL				
6			AND HAWK INDICATOR AT MAST- HEAD, INCLUDING CO-AXIAL CABLE			с л	GENERAL
00150		гл	TO CHART TABLE AND 12V. SUPPLY	CSM70	• • • • •		BOAT SHEETING NOT SUITABLE FOR TRANSPORT
Kat			AUTOHELM 2000	CSM71	• • • • •	[]	CRADLE
NAVICO		10.1	SOUNDER	CSM72		[]	DTI REGISTRATION
				CSM74	••••	[]	EXPORT DOCUMENTATION
CSM553				CSM75	••••	[]	WINTERISE ENGINE INCLUDING A
			WINDSPEED/DIRECTION				FULL TANK OF DIESEL
CSM555		[]	SOUNDER REPEATER	CSM712	••••		NAME PAINTING ON STERN
			LOG REPEATER	CSM715		[]	BUILDERS CERTIFICATE
BROOKES	5 & GA1	TEHOUS	SE EQUIPMENT				NAME
CSM520	••••	[]	HUNTER				OCCUPATION
CSM521	••••	[]	HUNTER WITH REPEATER FOR SPEED AND DEPTH - ANALOGUE	TOTAL	• • • • • • •		
TOTAL .		• • • • •	/Continued	B'FWD	• • • • • • •		
B'FWD .	,.	••••			•••••	• • • •	
•••••							
C'FWD .							

Purchaser's name in full	Declar's name (if applicable)	
Address	Address	
		•••••
·····		
Zip Code	Zip Code	
Day Telephone No. ()	TERMS AND CONDITIONS OF GALE	
Home Telephone No. ()		
FINANCE – Company (if applicable)		
Name & Address	Sattann di wanasari na yanganou a adal antin, prenin interpetanosi.1.d. 193 tela printe priota minasti angkan mibia baka adal antin prenin interpetanosi.1.d. 193 tela printer sattanosi.1.d. terakari	
	עיים האוויזלא לא לאוראלי בי לאוראניטא (אוא אייר ג'יין אינגעלא אייר אייר). אוויז איז איז איז איז איז איז איז איז איז א	
The numbers of groups of an and a second	eer offelt from the book of the second of the second second second second second second second second second se reasonablegement of entite Continues in all second	
Contact	energia de la constante presidente de la constante de la constante de la constante de la constante de la consta Al constante de la constante de	
Telephone no	had became a non-set height up the backet δ in the contract way to be the set of the network to be the set of the set	
	Loan details	
PART EXCHANGE DETAILS:		
	details a determine with reactionatic requests for the line in a second se	
	Statistics of sub rank serverses beneficially and subsections and the subsection of subsections and the subs	nevies.peril of the carpeted
		Angleine and the late sloths.
	····· VALUATION Part exchange offer	
WESTERLY OWNERS ASS. INFORM	MATION YES	
PAYMENT DETAILS		
 States, A. S. States and S. S.		
Total Contract \$	noncompanya na	nenergenidarbenn 4 lights is
Tax \$	on when a start was a managed at a start of the start of	
TOTAL \$	has been muche or yether betty settings to the a printingent shall be a printingent shall be at or too of the company shall be at or too of the company shall be at or too of the company shall be at other company shall be	
		eventsion Jesees set guarmanee, ut. imegen t. "Elexible mone article descette
Deposit Due/Received Date	satisfied and if provide sate a second and the provide the sate of the state of the sate of the provider of the	trenerstani (12000000000000000000000000000000000000
Finance Payment due Date	Value	Marked . Saires Pakes
Part Exchange allowance (if applicable	e)	
Balance due 10 days before completio	n	
FOR INTERNAL USE ONLY		
		eleventoseelep can to too
Contract Freeze Date	ce. with the balancer due on deevery of the gords meanancer as in yours internet. Such as the value of the text internet. Such is yours internet. Such is yours internet. Such is the second angework. Such is the second angework is the second angework in the second angework is the second angework.	Company Invited States and States
	ייא איז באלים באלימות הלכיפיסופו התוכלפי הלוציא שותי בכל בכרוב לשוריות הדיריים הביל איז (מיפרות אליקי) ה-הוובאת התכב	
Order Confirmation sent	Dated	

WESTERLY YACHTS INC. ("Company") TERMS AND CONDITIONS OF SALE

1. GENERAL

This sales order is made and accepted subject to the conditions set forth herein. All conditions of Customer and all other conditions or warranties whatsoever are excluded from this contract or any variation thereof, unless expressly accepted by Company in writing.

There terms and conditions can only be altered or qualified by a writing signed by an officer of Company.

 Commercial terms used herein (such as "Delivered Duty Paid") shall have the meanings assigned to them by the current "Incoterms" Conditions published by the International Chamber of Commerce, Paris.
 I fany statement or representation upon which Customer relies has been made to Customer other than in the documents enclosed with Company's quotation or acknowledgement of order, Customer must set out such statement or representation in a document to be attached to or endorsed on the order in which case Company may clarify the point and submit a new quotation. 1.5 This sales order shall become a contract binding upon the parties

hereto only upon its acceptance by an officer of Company's company's principal place of business. Such acceptance shall be evidenced by the signature of an officer of Company on the face hereof. Customer shall be sent a copy of this sales order upon its acceptance by Company.
 DELIVERY.

DELIVERT.
2.1 Time for delivery is given as accurately as possible but is not guaranteed. Customer shall have no right to damages or to cancel the order for failure to meet any delivery time stated.
2.2 The date of delivery shall in every case be dependent upon prompt receipt of all necessary information, final instruction or approvals from Customer. Alterations by Customer in design specifications or quantities required may reput in defau in delivery. required may result in delay in delivery. 2.3 Company will endeavour to comply with reasonable requests by

Customer for postponement of delivery but shall be under no obligation to do so. Where delivery is postponed otherwise than due to default by Company Customer shall pay all costs and expenses, including a charge for storage and transportation, occasioned thereby.

2.4 Unless otherwise agreed goods are sold Delivered Duty Paid to the Port designated on the face hereof.

2.5 If Customer shall refuse or fail to take delivery of the goods or fail to make default in any of the terms of this contract, Company shall have the option of either cancelling the same or reselling the goods on Customer's account. Customer being liable for any losses and costs incurred thereby. 2.6 Without prejudice to the provisions of Section 2.5 above, Company may deliver the goods in accordance with any revised instructions of Customer if compliance with such revised instructions is deemed by Company to be reasonably practical. Customer shall, however, be liable for any extra costs incurred by Company in complying with such revised instructions

Unless otherwise expressly agreed in writing, any packaging supplied by Company is intended only to be sufficient to protect the goods for all normal conditions of transit to the Port designated on the face hereof and only for the normal period of transit to such Port. Company shall have no responsibility for packing the goods in a manner suitable for their protection during transportation from such Port to Customer's premises, or at any ime thereafter.

3 TITLE.

3.1 Title to the goods or any part thereof shall pass to Customer when payment in full therefor has been made or when Company serves written notice upon Customer specifying that title to the goods or such part thereof has passed, whichever shall be the earlier in time, and Customer shall permit the servants or agents of Company to enter the Customer's premises and to repossess the goods at any time prior thereto.

3.2 Customer shall be at liberty to sell the goods purchased from Company prior to the passing of title only if prior to such sale a security agreement between Customer and Company is executed and the security interest of Company in the goods is perfected in accordance with the applicable provision of the Uniform Commercial Code, and only if such sale akes place in conformity with the terms of such agreement

4. PRICES

The contract price payable by Customer shall be the price specified herein together with such sum as is sufficient to cover any increase to Company after the date hereof in the cost of performance of the contract due directly or indirectly to government action, strikes, fluctuations in the costs of labour, overheads, taxation, customs duties, demurrage charges, trans-port charges, shipping and insurance rates, or to the imposition of surcharges on any of the three latter items or to any other similar events. Such additional sum shall become part of the agreed contract price without the necessity for prior notice to or further agreement by Customer. TERMS OF PAYMENT.

5.1 Unless otherwise agreed by Company in writing the terms of payment shall be 10% of the contract price at the time this sales order is sent to Company for acceptance, with the balance due on delivery of the goods. These payment terms may be varied by a writing on the face hereof signed by an officer of Company.

5.2 All payments shall be made by bank or certified cheque or by a wire transfer of immediately available funds.

5.3 No disputes arising under this contract nor delays beyond the control of Company shall interfere with prompt payment in full by Customer.

5.4 In the event of default in payment by Customer Company shall be entitled without prejudice to any other right for remedy to suspend all further deliveries without notice and to charge interest on any amount outstanding at the highest rate permissible under applicable law

SPECIFICATIONS.

Company will endeavour to manufacture the goods in accordance with the specifications in effect at the time of its acceptance of this sales order. Company reserves the right notwithstanding the above to vary such specifications without notice in the light of changes in technical knowledge, production techniques, government or other regulations, consideration for safety or other reasonable cause. The delivery of goods conforming to Company's prevailing design and specifications at the time of delivery, including those variations permitted by this Section 6, shall be good and sufficient performance of this contract by Company.

7. WARRANTY

7.1 Company warrants that the goods to be supplied hereunder will conform to the description on the face hereof, that it will convey good title thereto, that such goods will be delivered free from any lawful security interest or other lien or encumbrance unknown to Customer, and that such goods will be free from defects in material and workmanship. COMPANY SPECIFICALLY EXCLUDES ANY WARRANTY OF MERCHANT-ABILITY OR FITNESS FOR THE PURPOSE FOR WHICH IT IS INTENDED

7.2 Company makes no warranty with respect to goods or equipment of Customer's design or supply. Company shall not be liable for any incidental or consequent damages for any breach of warranty. Company's liability and Customer's remedies are exclusively limited to the repair of equipment or materials if defective, the replacement thereof with conforming goods at the Port shown on the face of this sales order, or the repayment of the purchase price. The determination as to which of the above options is to apply will be made unilaterally by Company. Replacement of defective goods or the repayment of the purchase price will be made only upon the return of the defective goods which may be returned at the cost of Company and only after inspection by Company and receipt by Customer of definite shipping instructions from Company. 8. LIMITATION OF LIABILITY.

The Company shall not be liable in any circumstances in respect of death or personal injury and under no circumstances whatsoever shall Company be liable for special, indirect or consequential damages, loss of profits or damage to spectral, induce to consequential damages, loss of profits of damage to property arising out of or occasioned by any fault or defect in the goods supplied by Company. Customer shall fully indemnify Company from and against all such losses, damages, demands, expenses, claims, costs, actions and proceedings which are incurred by Company or threatened, demanded, brought or made against Company by any person, firm or company or governmental or other authority in respect thereof together with all costs and expenses incurred in relation thereto.

INSOLVENCY.

If Customer shall become bankrupt or insolvent or make an assignment for the benefit of creditors, or in the event of a resolution being passed or proceedings commenced for the liquidation of Customer, or if a Receiver is appointed of all or any part of Customer's assets, Company shall be entitled to cancel this contract in whole or in part by notice in writing without residued to any part of Customer's assets. prejudice to any right or remedy accrued or accruing to Company.

 FORCE MAJEURE. Company shall not be under any liability for any delay, loss or damage Company shall not be under any liability for any delay, loss or damage caused wholly or in part by act of God, governmental restriction, condition or control, any laws, rules or regulations of the country of origin of the goods, non-arrival of imported goods, inability to obtain transport or loading facilities or by reason of any act done or not done pursuant to a trade dispute, whether such dispute involves its employees or not, or by reason of any other act, matter or thing beyond its reasonable control, including facility by the other next where the avery out the avery interventions of this including failure by the other party hereto to carry out the provisions of this

11. LEGAL

The contract shall be governed and interpreted exclusively in accordance with the laws of the State of New York. Any controversy or claim arising out of or relating to this Agreement which cannot be settled amicably shall be settled exclusively and finally in accordance with the rules of the American Arbitration Association by a single arbitrator appointed in accordance with said rules. The arbitration shall be held in New York, New York. Judgement upon the arbitrator's award may be entered in any court of competent jurisdiction.

12. TAXES

In addition to the specified purchase price and other provisions relating to the purchase price set forth herein the customer will pay all taxes, excises, licence fees, duties, imports, and other charges (other than income taxes or taxes in the nature of an income tax) levied, assessed or imposed upon Company in the United States of America by reason of or applicable to the manufacture, sale, purchase and delivery of the products furnished hereunder, or any parts thereof. Such payment shall be made by Customer to Company at or before the time at which Company is required to pay it. Notwithstanding the foregoing, Company shall pay all taxes, excises, etc. which arise directly out of its obligation to ship the goods Delivered Duty Paid.



WESTERLY YACHTS INC. P.O. Box 3374, Annapolis City Marina, 410 Severn Avenue, Ańnapolis, MD.21403 Telephones (301) 268 1877 (Annapolis) (301) 269 9283 (Baltimore)

WESTERLY STORM 33

THE STANDARD U.S. SPECIFICATION COMPRISES:

· JUNE 1987

SAILS & RIGGING: Mainsail and No. 1 Jib in racing sail cloth with tell tales on mainsail. Twin luff groove system. Silver anodised mast and boom, main and jib halyards in Kevlar Terylene running rigging. Halyards and slab reefing lines led aft to cockpit. Topping lift. Boom vang. Stainless steel standing rigging with twin backstay with backstay adjuster.

DECK FITTINGS: 24" stanchions with twin stainless steel PVC covered lifelines. Twin headsail tracks port and starboard with one car in each track. Stainless steel bow rail, sheet stopper. 351b. plough anchor and stowage, 90ft. 5/16 chain. Cleats: 2 foredeck, 4 'midships, 2 stern cleats. Transom step. Stainless steel stay and shroud plates. Teak coachroof handrails. Drained propane locker, with bottle stowage. Propane solenoid switch. No regulator. Four fenders. 2 x 40ft. dock lines. Navigation lights, steaming light, deck light. Manual bilge pump. 2 bulkhead compasses. Winches: 2 two speed halyard winches, type 25c. 2 two speed foresheet winches, type 27c. 2 winch handles. 2 cockpit coaming lockers. Mainsheet track and traveller. Wheel steering. Non-slip painted deck surface. Foresheet jammers on coamings.

CABIN FITTINGS: Forecabin - Two single berths, hanging locker, washbasin. Deck hatch. Carpeted cabin sole. Curtain track. Saloon - Port and starboard single settee berths with lee cloths. Centre line table with bottle stowage and dust tray under, side lockers port and starboard. Holly and Teak cabin sole. Double berth conversion. Curtain track. Vent. 2 opening windows. Deck hatch over table. Galley - Gimballed 2 burner propane cooker with oven and broiler and crash bar. Stowage for crockery, cutlery and dry stores. Pan stowage. Twin stainless steel sinks with cold water supply from 48 US gallons stainless steel tanks. Work top with teak fiddles. Chopping board. Insulated drained ice box with shelf. Trash bin. Chart Table - With chart stowage under desk top. Pencil holder. Separate chart seat. Provision for instruments. Book rack stowage. Chart light. Wet Locker aft of chart table with drain to bilges. Heads - Marine WC with holding tank, moulded washbasin with cold supply. Opening window into bridge deck. Fixed window into cockpit. Carpeted sole. Curtain track. Lights - 2 reading lights in forecabin, 4 lights in saloon, 1 in heads, 1 over galley, 2 in aft cabin, 1 in sail locker, 1 in engine compartment. Electrics - Central 12 way switch panel with circuit breakers by chart table. Cushions - 5" berth cushions with 4" seatbacks in saloon in choice of colours.

ENGINE: Volvo 2002, 18 hp, 2 cylinder diesel in sound deadened engine compartment. Flexible mountings. 50 amp alternator. Fixed 2-bladed propeller. Water cooled exhaust. Cockpit instrument panel. Electric start. Double batteries, total capacity 204 amp/hrs. 22 US gallons fuel tank.

HULL: White hull. Fin keel. Moulded coloured trim line. Cove Line. Teak rubbing strake. Marked waterline. Bronze underwater skin fittings. Self draining cockpit. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- 1. A 10% deposit reserves a boat at the current price. This payment is made subject to contract.
- 2. Alternatively, 10% deposit payable on signature of the contract. On receipt of the signed contract a delivery date will be confirmed.
- 3. The balance outstanding is payable approximately 2 days before arrival of the boat in US port of destination.
- 4. For other conditions see our standard terms and conditions of sale.

WESTERLY YACHTS INCORPORATED

STORM 33

\$	OPTIONS
----	---------

SAILS AND RIGGING

1337	No. 1 Genoa - Camber stripes and Tell Tales
1105	No. 2 genoa - Camber stripes and Tell Tales
520	Storm Jib
360	Spinnaker Pole and Deck Stowage
267	Acrylic mainsail cover
3004	Rotosay Reefkit with special Genoa (demountable drum type)

DECK FITTINGS

m Cr			-	100 C	
767	Δ	OTIT	170	e doo	TOTO TO
101		CT A	and the last		LECT

- 420 Boarding ladder
- 133 Transom steps (2)
- 182 Anchor man windlass - Manual GD 163
 - Anchor man windlass Manual G

NAVIGATIONAL INSTRUMENTS

NAVICO RANGE

- 200 Echosounder
- 207 Log
- 340 Windspeed/direction
- 140 Echosounder/repeater
- 140 Log repeater
- 233 V-Tronix combined VHF and Hawk indicator at masthead including co-axial to chart table and 12v supply
- 1077 Autohelm 2000

GENERAL

1607 Cradle

> A full list of factory fitted extras and colour options is available on request

WESTERLY STORM 33

JUNE 1987

US SPECIFICATION EXTRAS PRICE LIST

SAILS & RIG	GING	DECK FITTIN	IGS	ENGINE	
CODE	\$	CODE	\$	CODE	\$
CSM10	1337	CSM229	1904	CSM41	110
CSM11	1105	CSM252	1904	CSM42	161
CSM12	3004	CSM230	164	CSM44	147
CSM13	520	CSM234	860	CSM45	236
CSM14	1231	CSM235	925	CSM46	257
CSM15	1832	CSM236	420		
CSM16	553	CSM237	133	NAVIGATIONA	L AIDS
CSM17	360	CSM238	53		
CSM18	267	CSM239	182	CSM51	233
CSM19	267	CSM240	163	CSM52	1077
CSM101	28				
CSM102	233	CABIN FITTI	INGS	NAVICO EQUI	PMENT
CSM103	178				
CSM104	266	CSM31	1607	CSM552	430
CSM105	70	CSM35	995	CSM553	440
CSM106	78	CSM36	591	CSM554	676
CSM107	194	CSM38	133	CSM555	276
CSM108	210	CSM39	272	CSM556	276
CSM109	21	CSM310	210		
CSM110	33	CSM311	STD	BROOKES & G	ATEHOUSE
DECK FITTIN	IGS	CSM313	147	CSM520	1534
CSM21	STD	CSM315	1253	CSM521	2456
CSM22	108	CSM316	2336	CSM522	2600
CSM23	108	CSM317	202	CSM523	3625
CSM24	POA	CSM318	180	CSM524	3745
CSM25	72	CSM319	25	CSM525	1739
CSM26	143	CSM320	STD	CSM526	1810
CSM27	164	CSM321	STD		
CSM28	164	CSM322	123	DECCA YACHT	NAVIGATOR
.CSM29	164	CSM323	156		
CSM210	164	CSM324	123	CSM530	601
CSM211	744			CSM531	100
CSM212	64	CABIN CUSHI	LONS	CSM532	2440
CSM213	130				
CSM215	780	VELVETS		HULL	
CSM216	1414	001007	0.75	agait (170
CSM217	1585	CSM383	OPT	CSM61	438
CSM218	50	CSM384	OPT	CENEDAT	
CSM219	40 CMD	CSM386	OPT	GENERAL	
CSM220	STD	MUTURING		AGMERO	101
CSM221	OPT	TWEEDS		CSM70	184
CSM223	OPT 767	OCH/ZO/7	0.DM	CSM71	1607
CSM224	767	CSM387	OPT	CSM72	663
CSM225	767	CSM389	OPT	CSM74	100
CSM226	2483	CSM390	OPT	CSM75	164
CSM227	2488	CSM390	OPT	CSM712	174
CSM251	2433				
CSM228	1904				