



# WESTERLY

**Westerly Yachts Limited**

Designers and Builders of Fine Craft  
Hamble Point Marina, School Lane, Hamble  
Southampton SO3 5NB  
Telephone: Southampton (0703) 455233  
Telex: 477498

## OCEANLORD 41

SEPTEMBER 1987

### THE STANDARD SPECIFICATION COMPRISES:

**SAILS & RIGGING:** *SLOOP:* Mainsail & No. 1 jib. Blue sail cover. Silver anodised mast & boom. Jib halyard led aft. Topping lift & Burgee halyards. Stainless steel standing rigging. Terylene running rigging. All running rigging led aft. Kicking strap. Mainsail slab reefing lines led aft. Steaming and deck lights on mast. Tri-colour masthead light. Spinnaker pole track with bayonet fitting slider on mast.

**DECK FITTINGS:** Double stainless steel bow roller. Anchor windlass. 45 lb. plough anchor. 30 fathoms of 5/16 "calibrated anchor chain. Chain pipe. Stainless steel double railed bow & stern pulpits. Gate in stern rail. Lifelines & 24" alloy stanchions. Double lead blocks and jammers for main & jib halyards. Jammers for spinnaker halyard, topping lift, downhaul & mainsail reefing lines. Sliding jib sheet leads. Stainless steel deck eyes for spinnaker quarter blocks & poles downhaul, with double turning blocks for jib sheets & spinnaker sheets. 2 bow cleats. 2 midship cleats, 2 stern cleats, 2 bow fairleads. Stainless steel shroud plates. Staff socket on stern rail. Swimming platform and ladder. Teak handrails on cabin top. Teak cockpit grating. Teak laid cockpit seats. Mainsheet rack & traveller on aft cabin coachroof. Grey Treadmaster deck covering. Wheel steering, with emergency steering system. Foresheet, mainsheet, main halyard and jib halyard winches. 6 fenders & 2 x 50' mooring wraps. Vented gas bottle stowage supplied with two 6 lb. gaz bottles. Split stern rail. 3 winch handles.

**CABIN FITTINGS:** all joinery in solid teak and teak faced marine plywood to a high standard. *FORECABIN:* 2 single berth cushions and infill, fiddled shelf stowage on hull sides. Stowage bins under berth. *FOREWARD HEADS:* hot and cold pressure water to basin and shower. Pumped shower drainage. Teak grating, shower curtain rail. Marine heads with accessible seacocks. Grab rail. Mirror. Opening hatch. *HANGING LOCKER AND SHELVES FORWARD:* teak doors, hanging rail & hooks. *SALOON:* two settee berths extending to the side of the boat with bottle stowage under starboard berth. Port berth converts to double berth. Stainless steel water tanks under berths. Fixed large dining table with 2 large leaves & bottle stowage. 450 x 320 opening hatch over table. Lockers & cupboards behind the above seatbacks. Wrap around backrest & berth cushions. Curtain track & runners in all cabins & heads/ Wet stowage beneath companionway steps. Radio, stereo cassette with twin speakers. *GALLEY:* 2 burner gas cooker with grill & oven. Stainless steel sinks. Mixer tap. Hot and cold water supply. Two insulated cold boxes one with a 12v. refrigeration unit. Tiled work surfaces. Stowage racks for crockery. Paper towel rack. Drawers. Manual back-up

/continued next page

water supply foot pump. Pan lockers. Rubbish bin. *CHART TABLE*: spacious chart table with chart stowage. Separate navigator's seat. Ample space for instrumentation both forward & outboard of table. Lockers under. Navigators cabin with lockers and hanging locker, over. Walkthrough to Owner's cabin. Access to engine compartment. *OWNER'S AFT CABIN*: owners's aft cabin and aft heads open off dressing area with shelves and hanging lockers. Settee with cushions to port. Double berth to starboard with radio, stereo cassette with twin speaker. Vanitory table with a drawer facing, mirrored door to cupboard. Lockers across transom and below side decks port and starboard. *AFT HEADS*: marine heads with accessible seacocks. Hot and cold pressure water supply to basin and shower. Pumped shower drainage. Shower curtain rail. *OPENING PORTS*: one in aft heads, one over chart table, and one over galley. *FIXED WINDOWS*: Two in main saloon, two in aft cabin, One in Navigator's cabin. Locker. *WATER TANKAGE*: 110 gallon (500 litre) in 3 stainless steel tanks. *ELECTRICS*: the standard circuit breaker panel is located in chart area, consisting of electrical control panel with switch to test battery state. Lighting on board is as follows: 2 reading lights forward: 1 light in heads, forward: 5 reading lights in saloon: 2 lights in galley: 1 light in chart area: 1 flexible light at chart table: 1 berth light in walkthrough, 2 berth lights in aft cabin: 1 flat light in aft cabin over hanging locker. 1 in sail locker, 1 in engine compartment. Electric bilge pump.

**INSTRUMENTATION**: Water speed and log and depth sounder (analogue) fitted at snood.

**ENGINE**: Volvo 2003T, 3 cylinder 43hp (32kw) diesel flexible mounted. 50 amp/hr. alternator. Water cooled exhaust. Electric start. Remote single lever controls in cockpit. Remote stern gland greasing. Light in engine compartment. Sound deadening. 3 bladed propeller. 2 x 102 amp/hr. batteries in secured stowage. Battery state indicator. Battery change over switch. Engine access from hatches on forward & both sides of engine compartment. Calorifier using engine to heat fresh water for showers & sinks. Engine instrument panel in cockpit. 45 gallon (200 litre) steel diesel fuel tank.

**GENERAL**: White hull. Fin keel. Deck Treadmaster. Blue moulded trimline. Alloy framed windows. Teak rubbing strake. Cove line. Blue antifouling. Blue waterline stripe. Bronze seacocks & underwater skin fittings. Self draining cockpit. Bilge pump. Cathodic protection.

## LLOYD'S HULL CONSTRUCTION CERTIFICATE

### HULL AND DECK CONSTRUCTION

#### HULL

Hand-laid in our workshop using the best quality material under carefully controlled conditions of temperature and humidity. A Lloyd's Hull Construction Certificate is supplied as standard. The full shell is stiffened and supported by stringers, frames and floors.

The hull colour is white with moulded in blue trim lines.

#### DECK

Hand-laid using a mixture of chopped strand mat and woven rovings with reinforcement in

*/Continued on next page*

areas of high stress, such as the chainplate area. The coachroof and sidedecks are of a CRP/Balsa sandwich construction which gives great resistance to flexing as well as sound and heat insulation. A hardwood kingplank is incorporated into the foredeck. Hardwood pads under deck fitting where appropriate.

## **RUDDER**

Solid 2, 3/4" diameter stainless steel stock of 316 specification with a welded stainless steel plate forming the core of the rudder blade.

## **KEEL**

Solid 8,000 lb. cast drilled and tapped to take stainless steel studs of 24 mm. diameter. Each keel stud is secured by a nut and locking nut and the load is spread evenly by the use of stainless steel backing plates.

## **CATHODIC PROTECTION**

Zinc anode fitted and wired to stern gear. 'P' bracket and engine water inlet.

## **TERMS OF BUSINESS**

- 1 A £500 deposit and the Purchaser's signature upon this specification form reserves a boat at the current price pending preparation of a contract by Westerly Yachts Limited. This specification is not the contract and the deposit is returnable to the Purchaser if a contract is not signed.
- 2 One third of the total price, less the initial £500 deposit payable upon signature of the contract. When the contract is signed by the Purchaser and returned a delivery date will be confirmed and the contract will be signed by Westerly Yachts Limited.
- 3 The balance outstanding is payable ten days before completion of the boat at the factory. The boat as described, to specification and standard inventory are liable to change according to availability of bought in and manufactured supplies. Some items shown in photographs are not included in the standard price.
- 4 For other conditions see our standard Terms and Conditions of Sale which are printed on the final page.

# WESTERLY YACHTS LIMITED

## OPTIONS OCEANLORD 41

### SAILS and RIGGING

4250	Kemp inmast mainsail furling system
447	No. 2 jib
338	Storm jib
774	Crusing chute radial head
955	No. 1 genoa
742	No. 2 genoa
788	Spinnaker radial head
624	Spinnaker pole and deck stowage
2069	Rotostay reefkit with special No. 1 genoa and suncover in lieu of standard jib including a Barlow 23c control winch

### DECK FITTINGS

273	Spinnaker gear (sheets, downhaul, halyards, etc)
440	Folding sprayhood
1053	Fixed polycarbonate windscreen and sprayhood

### CABIN FITTINGS

901	240v shore supply with ring main, distribution panel three outlet sockets, one per cabin, waterproof input socket in coaming with plug and 40' cable supplied
69	24v immersion heater (only available with ring main option)
399	14" colour TV running from ring main only. Built in starboard side in saloon including aerial
700	VHS video built in below TV
360	Microwave fitted in galley. Run from ring main only
1209	Diesel central heating with 3 outlets one per cabin

### NAVIGATIONAL EQUIPMENT

1877	Hornet 4 with analogue repeater
1877	Hornet 4 with digital repeater
897	Hecta depth monitor with alarm - analogue repeater
937	Hecta depth monitor with alarm - digital repeater

### GENERAL

832	Cradle
465	Delivery to Ocean Village including wet or dry launch

**ALL PRICES ARE EX VAT**

**A FULL LIST OF FACTORY FITTED EXTRAS AND COLOUR OPTIONS IS AVAILABLE ON REQUEST**

# Oceanlord 41

## Standard specification



**WESTERLY**

### Hull

White GRP. Fin keel. Retrousse stern & bathing platform. Antifouling. Teak rubbing strake. Bronze seacocks & underwater fittings. Cathodic protection. Blue moulded trim line. Hand laid in temperature & humidity controlled environment. 2 layers of isophthalic gelcoat & isophthalic resin in the first layer of matt & unidirectional reinforcement.

### Rudder

GRP with stainless steel 316 stock & framework

### Keel

Cast iron with stainless steel studs & twin locking nuts.

### Deck/Cockpit

Self draining cockpit. Hatches in forecabin and aft cabin. Wheel steering with compass on binnacle. Teak cockpit seats & teak cockpit grating. Vented gas bottle stowage for 2x 6lb (2.7kg) bottles. Cockpit locker with light. Teak laid side decks in individual swept planks with grey or white non-slip deck paint on coach roof.

### Deck Fittings

Stainless steel double rail pulpit & pushpit with stern gate. 24" stanchions & double lifelines. Self tailing winches (2 foresheet, 1 mainsheet, 1 headsail reefing, 2 halyard) 3 winch handles. Spinnaker deck hardware (excl pole & pole storage) with slider track on mast. Twin bow roller & chain pipe. 2 bow, 2 stern & 2 spring cleats. 2 bow & stern fairleads. Ensign staff socket. Swimming ladder & steps. Jammers for halyards & furling lines. Sheet leads & turning blocks. Mainsheet track & traveller on aft cabin coachroof. Teak handrails. Anchor stemhead stowage.

### Sails & Rigging

Mainsail & roller furling headsail. Main & jib halyards, control lines led aft. Kicking strap. Topping lift & signal halyards. Stainless steel standing rigging & shroud plates. Polyester running rigging. Mainsail cover.

### General Equipment

Manual & electric bilge pumps. 45lb plough anchor. Manual windlass. 30 fathoms 5/16" calibrated chain. 6 fenders. 2x 15m moorings warps. Fire extinguisher. Emergency tiller.

### Electrical System

Bi-colour, stern light, steaming light, deck light. 2 x 95a/h low maintenance batteries. 60a/h alternator. 12V system with standard circuit breaker panel plus water tank gauges & switch to test battery state. Water speed, log & depth sounder instruments.

### Engine

Volvo 2040 (40hp). 3-bladed propeller. Sound insulated compartment with ventilation fan. Fuel filter/water separator. Engine panel in cockpit. Calorifier. Low maintenance stern gland. Compartment light & engine access from three sides.

**Tanks** 205 litre fuel tank. 500 litre water in stainless steel tank.

### Interior

All woodwork in teak or oak. Upholstery available in a choice of fabrics. Curtain rail in cabins. Removable deckhead panels. Special teak and holly effect laminate sole.

### Forward Cabin

2 single berths with infill to make a double. Fiddle shelf stowage, Reading lights. Special teak and holly effect laminate sole floors. Hanging Locker.

### Forward Heads

Marine WC. Washbasin. Pressurised hot/cold water with shower. Teak grating. Pumped shower drainage, stowage.

### Saloon

2 settee berths with port side double berth conversion. Table with bottle stowage. Numerous lockers. Holly & teak flooring. Reading lights. Wet locker under companionway.

### Navigator's Area

Table with chart stowage and separate seat. Provisions for instruments. Opening port. Chart light.

### Navigator's Cabin

with berth and hanging locker. Walk through to owner's cabin.

### Galley

2 cold boxes (1 with 12V refrigeration unit). 2 stainless steel sinks. Hot & cold water supply. Mixer tap. Gimballed 2 burner cooker with oven & grill. Ample stowage. Opening port. Manual back up water supply foot pump.

### Aft Heads

Marine WC en suite to aft cabin. Washbasin. Hot & cold pressurised water. Shower with pumped drainage. Opening port.

### Aft Cabin

Central double berth with settees to port and starboard. Hanging locker. Row of lockers port and starboard. 2 opening windows. Reading lights. Carpeted floor.

**As your new OCEANLORD will be built especially to your individual order,  
we can offer a choice of optional factory fitted items  
from the following comprehensive list**

<b>Deck Fittings</b>			
CSD68	Alternative hull colour	£2,378	<input type="checkbox"/>
CSD315	Fixed windscreen	£1,109	<input type="checkbox"/>
CSD316	Fixed windscreen & sprayhood	£1,628	<input type="checkbox"/>
CSD268	Spinnaker winches	£1,202	<input type="checkbox"/>
CSD342	Electric windlass in lieu of manual with foot switch	£1,016	<input type="checkbox"/>
CSD327	Folding sprayhood	£671	<input type="checkbox"/>
CSD	Teak decking on coachroof - aft only	POA	<input type="checkbox"/>
CSD	Teak decking on coachroof - aft and forward	POA	<input type="checkbox"/>
<b>Cabin Fittings</b>			
CSD42	240V/20amp shore supply, ring main, circuit breaker, 5 sockets	£891	<input type="checkbox"/>
CSD411	Holding tank for aft heads with deck discharge	£715	<input type="checkbox"/>
CSD410	Holding tank for forward heads with deck discharge	£715	<input type="checkbox"/>
CSD62	Additional third battery with box and tie down straps	£261	<input type="checkbox"/>
CSD412	Diesel central heating with 3 outlets	£2,411	<input type="checkbox"/>
CSD445	Opening window - aft cabin to cockpit	£315	<input type="checkbox"/>
CSD447	Opening window - walkway to cockpit	£315	<input type="checkbox"/>
CSD449	Six windows in hull - two in aft cabin, four in saloon	£2,194	<input type="checkbox"/>
CSD	L-shaped saloon settee to port with longer table	£842	<input type="checkbox"/>
CSD	Hanging lockers and cupboards in walk way in lieu of berth	£1,007	<input type="checkbox"/>
<b>Sails &amp; Rigging</b>			
CSD10	Fully battened mainsail & lazy jacks, in lieu of standard mainsail	£470	<input type="checkbox"/>
CSD	In-mast mainsail furling	£2,490	<input type="checkbox"/>
CSD	Single line reefing first two reefs only with above option	£419	<input type="checkbox"/>
CSD19	Tri-radial spinnaker inc pole, deck stowage and gear	£3,340	<input type="checkbox"/>
CSD119	Radar reflector at masthead	£278	<input type="checkbox"/>
CSD115	Tri-colour & white masthead light	£278	<input type="checkbox"/>
CSD15/125	Cruising chute & gear	£1,805	<input type="checkbox"/>
<b>Navigational Equipment</b>			
CSD52	VHF radio complete with aerial and wind indicator	£780	<input type="checkbox"/>
CSD55	VHF aerial & wind indicator with deck plug leading to chart table	£332	<input type="checkbox"/>
CSD57	Autopilot - Autohelm ST. 6000+	£3,767	<input type="checkbox"/>
CSD560	Windspeed/direction Autohelm ST. 60	£772	<input type="checkbox"/>
CSD561	Multifunction repeater Autohelm ST. 60	£521	<input type="checkbox"/>
<b>Engine</b>			
CSD/G30	Fuel filter / Water separator	£139	<input type="checkbox"/>
CSD	50 hp engine in lieu of standard	£954	<input type="checkbox"/>
CSD67	Stripper propeller protector 3 bladed	£642	<input type="checkbox"/>
<b>General</b>			
CSD83	Delivery to River Hamble incl launch, commission & sea trial	£1,160	<input type="checkbox"/>

The above represents just some of the available optional extras. Any other items you may require will be priced on application.  
These prices are for items fitted at the most appropriate stage of construction in the factory. Any changes to specification after contract freeze date or after completion will be subject to extra charges. (Note all prices are EX VAT)