

WESTERLY

Westerly Yachts Limited

Designers and Builders of Fine Craft
47Aston Road, Waterlooville, Portsmouth, Hants PO7 7XJ
Telephone: Waterlooville (0705) 254511
Telep: 86328

Fax: (0705) 268032

WESTERLY STORM 33 CRUISING ORDER FORM

THE STANDARD SPECIFICATION COMPRISES:

SEPTEMBER 1989

SAILS & RIGGING: Silver anodised mast and boom. Stainless steel standing rigging with single backstay. Terylene running rigging. Mainsail and No. 1 jib. Main and headsail halyards, slab reefing lines and kicking strap led aft to cockpit. Topping lift on mast. Signal halyards. Blue mainsail cover.

DECK FITTINGS: 24" stanchions with stainless steel lifelines. Headsail track port and starboard with one car on each track. Stainless steel bow rail, split stainless steel stern rail and ensign socket, twin bow rollers. Spinnaker deck fittings. 35lb. plough anchor and stowage, 15 fathoms 5/16" chain. Cleats: 2 foredeck, 4 midships, 2 stern cleats. . Stainless steel stay and shroud plates. Teak coachroof handrails. Drained gas locker, with provision for 2 bottles. One 6 lb Gaz bottle supplied. Four fenders. 2 x 40 ft. mooring lines. Navigation lights, steaming light, deck light. Manual bilge pump. 1 bulkhead compass. Winches: 2 two speed halyard winches, 2 two speed foresheet winches. 2 winch handles. 2 cockpit coaming lockers. Mainsheet track and traveller. Tiller steering. Grey non-slip painted deck surface. Grey treadmaster on cockpit seats and sole. Bridge deck. Swimming ladder & transom steps. Blue sprayhood.

CABINFITTINGS: Forecabin - Double berth, hanging locker, washbasin with hot & cold water supply. Deck hatch with ventilator. Carpeted cabin sole. Saloon - Port and starboard single settee berths. Centre line table with bottle stowage and dust tray under, side lockers port and starboard. Holly and Teak cabin sole. Double berth conversion. Curtain track. Galley - Gimballed 2 burner cooker with oven, grill, work top and crash bar. Stowage for crockery, cutlery and dry stores. Pan stowage. Twin stainless steel sinks with hot & cold water supply from stainless steel tank. (Total water capacity 40 gallons including independent tank for cold to forward vanitory unit). Work top with teak fiddles. Chopping board. Refrigerated ice box with shelf. Rubbish bin. Chart Table - With chart stowage under desk top. Separate chart seat. Provision for instruments. Book rack stowage. Chart light. Wet Locker aft of chart table with drain to bilges. Tool drawer. Heads - Marine WC, moulded washbasin with hot & cold supply to basin & shower. Shower curtain rail. Pumped shower drainage. Opening window into bridge deck. WC fittings. Grab handle. Aft Cabin - Double berth. Hanging locker. Carpeted sole. Curtain track. Windows - Opening window into bridge deck. Fixed window into cockpit. Lights - 2 reading lights in forecabin, 4 lights in saloon, 1 in heads, 1 over galley, 1 red/white over chart table, 2 in aft cabin, 1 in sail locker, 1 in engine compartment. Electrics - Central 16 way switch panel with circuit breakers by chart table. Battery state indicators. Fuel & water tank gauges. Cushions - 5" berth cushions with 4" seatbacks in saloon in choice of colours. Dry powder fire extinguisher.

INSTRUMENTATION: Water speed, log & depth sounder (digital) fitted at snood.

ENGINE: Volvo 2003, 3 cylinder diesel in sound deadened engine compartment. Flexible mounting. 50 amp alternator. Fixed 2-bladed propeller. Water cooled exhaust. Cockpit instrument panel. Electric start. Double batteries, total capacity 190 amp/hrs. 18 gallons fuel tank. Calorifier using engine to heat fresh water for shower and sinks.

HULL: White hull. Fin keel. Blue Moulded coloured trim line. Cove Line. Teak rubbing strake. Blue antifouling. Bronze underwater skin fittings. Self draining cockpit. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- 1 A£500 deposit and the Purchaser's signature upon this specification form reserves a boat at the current price pending preparation of a contract by Westerly Yachts Limited. This specification is not the contract and the deposit is returnable to the Purchaser if a contract is not signed.
- One third of the total price, less the initial £500 deposit payable upon signature of the contract. When the contract is signed by the Purchaser and returned a delivery date will be confirmed and the contract will be signed by Westerly Yachts Limited.
- 3 The balance outstanding is payable ten days before completion of the boat at the factory. The boat as described to specification and standard inventory is liable to change according to availability of bought in and manufactured supplies. Some items shown in photographs are not included in the standard price.
- 4 For other conditions see our standard Terms and Conditions of Sale which are printed on the final page of the Order Form.

	SAILS & RIGGING		TRIC WITH FOOT SWITCH & REMOTE CONTROL
CODE SUPPLY	OPTIONS	СЅМ239 П	ANCHORMAN WINDLASS
CODE GOITEI	OI HONG		ADDITIONAL CLEATS. PLEASE SPEC-
CSM10C	No. 1 GENOA - CAMBER STRIPES AND TELL TALES		IFY POSITION & SIZE (6", 8", 12",) ON SCALE DECK PLAN (PRICE EACH)
СSM11С П	No. 2 GENOA - CAMBER STRIPES AND	CSM219 []	ADDITIONAL 6" FAIRLEADS PLEASE
	TELLTALES	_	STATE POSITION ON SCALE DECK
CSM12C []	ROTOSTAY REEFKIT WITH SPECIAL		PLAN
	No. 1 GENOA AND SUNCOVER IN LIEU		DECK PAINT - BEIGE
	OF STANDARD JIB	CSM223 []	TREADMASTER COCKPIT SEATS -
CSM13C		CO 1005	BEIGE
CSM112			FOLDING SPRAYHOOD - BEIGE
	CRUISING CHUTE SPINNAKER RADIAL HEAD		TREADMASTER DECKS - BEIGE TREADMASTER DECKS - GREY
	SPINNAKER RADIAL HEAD SPINNAKER TRI RADIAL		JACKSTAY LIFELINES ON SIDE DECKS
	SPINNAKER GEAR		ADDITIONAL 6LB. GAZ BOTTLE
	SPINNAKER POLE AND DECK STOW-		TILLER EXTENSION
	AGE		WINCH HANDLE POCKETS (2)
CSM19С П	MAINSAIL COVER - BEIGE		
	SIGNAL HALYARDS (2)		WINCH OPTIONS
CSM102 []	TRI-COLOUR & WHITE MASTHEAD		
	LIGHT	CSM234C[]	2 X BARIENT UOS 21STC OR EQUIVA-
	INSULATED BACKSTAY VIA 2 INSU-		LENT HALYARD WINCHES - 2 SPEE
	LATORS		SELFTAILING IN LIEU OF STANDARD
Party Commencer	SPLIT BACKSTAY	CSM235C	2 X BARIENT UOS 22STC OR EQUIVA-
CSM104	VISIBALL RADAR REFLECTOR ON		LENT FORESHEET WINCHES - TWO
CSM105C D	MAST NYLON SHROUD ROLLERS		SPEED SELF TAILING IN LIEU OF STANDARD
	RIGGING SCREW COVERS	СЅМ245 П	2 x BARIENT 18C SPINNAKER
	JOCKEY POLE WITH STOWAGE	C3141245	WINCHES PLUS 2 CLEATS
CSM100	ADDITIONAL WINCH HANDLES	CSM246	
сынтоу			
сынго	(EACH)		WINCHES - SELF TAILING PLUS 2 CLEATS
COM107			WINCHES - SELF TAILING PLUS 2
COMTON			WINCHES - SELF TAILING PLUS 2
CSM21 []	(EACH)		WINCHES - SELF TAILING PLUS 2 CLEATS
CSM21 []	(EACH) DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD	CSM32	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER
CSM21 []	(EACH) DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE	CSM32	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH
CSM21 [] CSM22 [] CSM23 []	(EACH) DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE	CSM32	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER
CSM21 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS	CSM32 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN
CSM21 [] CSM22 [] CSM23 [] CSM24 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS	CSM32 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE.
CSM21 [] CSM22 [] CSM23 [] CSM24 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS	CSM32 [] CSM33 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33)
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS	CSM32 [] CSM33 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC	CSM32 [] CSM33 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC	CSM32 [] CSM33 [] CSM34 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC	CSM32 [] CSM33 [] CSM34 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE- (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC	CSM32 [] CSM33 [] CSM34 [] CSM35 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGEA (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33)
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2)	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABINFITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM38 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGEA (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35)
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM38 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE- (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC-TRIC WITH FOOT SWITCH	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM38 [] CSM39 [] CSM39 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EXTINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE—(USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM38 [] CSM39 [] CSM39 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE- (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 [] CSM217 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC- TRIC WITH FOOT SWITCH ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM39 [] CSM310 [] CSM311 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY HOLDING TANK IN HEADS
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM28 [] CSM29 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC-TRIC WITH FOOT SWITCH	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM38 [] CSM39 [] CSM39 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EXTINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE—(USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 [] CSM217 []	LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC- TRIC WITH FOOT SWITCH ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM39 [] CSM310 [] CSM311 []	CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EXTINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE. (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY HOLDING TANK IN HEADS
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 [] CSM217 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC- TRIC WITH FOOT SWITCH ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM39 [] CSM310 [] CSM311 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EX- TINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY HOLDING TANK IN HEADS
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 [] CSM217 []	DECK FITTINGS LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC- TRIC WITH FOOT SWITCH ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM39 [] CSM310 [] CSM311 []	WINCHES - SELF TAILING PLUS 2 CLEATS CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EXTINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE— (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY HOLDING TANK IN HEADS
CSM21 [] CSM22 [] CSM23 [] CSM24 [] CSM25 [] CSM26 [] CSM27 [] CSM27 [] CSM210 [] CSM211 [] CSM211 [] CSM212 [] CSM213 [] CSM215 [] CSM216 [] CSM217 []	LIFELINES - PVC COVERED IN LIEU OF STANDARD DODGERS - BLUE DODGERS - BEIGE NAME ON DODGERS EXTRA ANCHOR CHAIN - 5 FATHOMS EXTRA ANCHOR CHAIN - 10 FATHOMS COCKPIT CUSHIONS - BLUE PVC COCKPIT CUSHIONS - GOLD PVC COCKPIT CUSHIONS - RED PVC COCKPIT CUSHIONS - WHITE PVC TEAK COCKPIT SEATS 12v SOCKET IN COCKPIT - (1) 12v SOCKET IN COCKPIT - (2) ANCHOR WINCH - MANUAL ANCHOR WINCH - SEAWOLF, ELEC- TRIC WITH FOOT SWITCH ANCHOR WINCH - SEAWOLF, ELEC-	CSM32 [] CSM33 [] CSM34 [] CSM35 [] CSM36 [] CSM37 [] CSM39 [] CSM310 [] CSM311 []	CABIN FITTINGS ADDITIONAL DRY POWDER FIRE EXTINGUISHER 240v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 240V. MARINE BATTERY CHARGE. (USE WITH CSM33) 110v/20AMP SHORE SUPPLY WITH RING MAIN WITH 3 SOCKETS - 1 PER CABIN 110V. MARINE BATTERY CHARGER (USE WITH CSM35) 240V. IMMERSION HEATER (USE WITH CSM33) 110V. IMMERSION HEATER (USE WITH CSM35) ADDITIONAL 8 WAY SWITCH PANEL SEAWATER PUMP TO GALLEY HOLDING TANK IN HEADS

	LEE CLOTH - AFT CABIN (1)	BROOKES & GAT	TEHOUSE THE STATE OF THE STATE
	12V./240V. TRANSHAVE IN HEADS		
CSM316 []	DIESEL CENTRAL HEATING WITH 3	CSM520 []	FOCUS SOUNDER/SPEED LOG MAIN
	OUTLETS - 1 PER CABIN	CSM521 []	FOCUS SOUNDER/SPEED LOG RE-
CSM317 []	ADDITIONAL BILGE PUMP - MANUAL		PEATER
CSM318 []	OPENING WINDOW - AFT CABIN TO	CSM522 []	FOCUS WIND WATCH
	COCKPIT SIDE IN LIEU OF STANDARD		
CSM310 []	FLY SCREEN FOR COCKPIT WINDOW	DECCA NAVIGAT	COP
W. 40 .	EXTRA SALOON HATCH OVER TABLE	DECCA NAVIGA	OK
		001 4440	or Mannathanagamentapin-
	FLY SCREEN FOR SALOON HATCH		ANTENNA FOR DECCA IV
	ROLLER BLIND - FORWARD HATCH		POWER SUPPLY ONLY FOR DECCA IV
CSM323 []	ROLLER BLIND - MAIN HATCH IN	CSM532 []	DECCA IV (COMPLETE INSTALLA-
	SALOON		TION)
CSM324 []	ROLLER BLIND - EXTRA HATCH OVER		
	TABLE		HULL
CSM326 []	US GAS SYSTEM		
6.3	LEE CLOTHS-MAIN SALOON PORT/	CCM61	MOULDED TRIM LINE - MAROON
COM321	STARBOARD(2)		
	STARBOARD(2)		WATERLINE STRIPE - BLUE
Nette A ACC	230 mail and the second	CSM63 []	WATERLINE STRIPE - ALTERNATIVE
CA	BIN CUSHION COLOURS		COLOUR*
VELVETS (STANI	DARD OPTION)	CSM64 []	TWIN KEELS
		Confect	* PLEASE STATE INTERNATIONAL
_M370 []	BLUESKY		YACHT PAINTS COLOUR CODE
CSM371 []			TACITI FAINTS COLOUR CODE
			++ THE HOLDE OF PROLIDE IN AND IN AND
CSM372 []	SAGE		** THE USE OF ETCH PRIMER IN ANY
			PAINT PROGRAMME WILL IN-
CHENILLE (EXTI	RA)		VALIDATE HULL WARRANTY
CSM374 []	OLIVETO		GENERAL
CSM375	NUORO SILVER		(
CSM376 []		CSM71 []	CRADIE
00112570 11111 []	11001100022		DTI REGISTRATION
	ENGINE		
	ENGINE	CSM1/3	
003.644		VALUATION OF THE PROPERTY OF T	LAUNCH & COMMISSIONING
	FUEL FILTER/WATER SEPARATOR		EXPORT DOCUMENTATION
CSM42	ENGINE SPARES KIT	CCN 176 D	WINTERISE ENGINE INCLUDING A
		CSM13 []	
	ENGINE HOUR METER	CSM/5 []	FULL TANK OF DIESEL
CSM44 []			FULL TANK OF DIESEL
CSM44 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2	CSM76 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE
CSM44 []	ENGINE HOUR METER	CSM76 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR
CSM44 [] CSM45 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED	CSM76 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION)
CSM44 [] CSM45 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2	CSM76 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA-
CSM44 [] CSM45 [] NAV	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT	CSM76 [] CSM77 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION
CSM44 [] CSM45 [] NAV	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL &	CSM76 [] CSM77 [] CSM78 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION
CSM44 [] CSM45 [] NAV	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD,	CSM76 [] CSM77 [] CSM78 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION
CSM44 [] CSM45 [] NAV	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL &	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION
CSM44 [] CSM45 [] NAV	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD,	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING
CSM44 [] CSM45 [] NAV CSM51 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION
CSM44 [] CSM45 [] NAV CSM51 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN*
CSM44 [] CSM45 [] NAV CSM51 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AER-	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN*
CSM44 [] CSM45 [] NAV CSM51 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX)	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN*
CSM44 [] CSM45 [] NAV CSM51 []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX)	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX)	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIT	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIT CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIT CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIT CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] CSM555N [] CSM555N [] CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIT CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] CSM555N [] CSM555N [] CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIL CSM555N [] CSM555N [] TOTAL	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A [] CSM7112 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] CSM555N [] CSM555N [] CSM555N []	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A [] CSM7112 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIL CSM555N [] CSM555N [] TOTAL	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A [] CSM7112 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIL CSM555N [] CSM555N [] TOTAL	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED //IGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A [] CSM7112 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS
CSM44 [] CSM45 [] NAV CSM51 [] CSM52 [] CSM551N [] NAUTECH EQUIL CSM555N [] CSM555N [] TOTAL	ENGINE HOUR METER STRIPPER PROPELLER PROTECTOR - 2 BLADED VIGATIONAL EQUIPMENT V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR AT MASTHEAD, INCLUDING CO-AXIAL TO CHART TABLE, DECK PLUGS & 12V. SUPPLY AUTOHELM 2000 NAVICO RATIO RT6500H WITH AERIAL (VTRONIX) PMENT WINDSPEED/DIRECTION MAIN MULTIFUNCTION REPEATER WINDSPEED/DIRECTION REPEATER	CSM76 [] CSM77 [] CSM78 [] CSM79 [] CSM710 [] CSM711A [] CSM7112 []	FULL TANK OF DIESEL DE-WINTERISE ENGINE SHRINK WRAP (NOT SUITABLE FOR ROAD TRANSPORTATION) NETTING COVER FOR TRANSPORTA- TION FRENCH HOMOLOGATION GERMAN SPECIFICATION WHEEL STEERING NAME PAINTING ON STERN* *MANDATORY FOR REGISTERED BOATS

CSM713 [] DELIVERY OTHER THAN GOSPORT	
POSSIBLE OF THE ADDRESS OF THE ADDRE	
ADDRESS	
CSIANCELL III No. 1. MARKET CONTROL OF THE CONTROL	
CS III TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE T	
VI ADDROSMA AMMERIA CEVELLISTAMO	
CONTACT NAME	
CSA III COMMINICAL CHERRY	
TEL NO	
CSM LSC D SPINNAKER TRIRADIAL	
CSM714 [] CRANEAGE TO OWN TRANSPORT	
CSM63 [] WATERLINE STREET ALTERNATIVE	
	CSM234C [] 2 X BARTENT LOS 21STC OF SEASON
	LIENT HALLYARCHURE I HOLD OF THE
	CSMO45 J 2 x BARIHOTEVIEO SPINE MEMED WINCHESMES GROUPS ARE ALL STEMED
COMPANANT (PROGRAMMENT OF THE ADDITIONAL PROGRAMMENT OF THE ADDITI	
CSMTS [] DHLIVERY TO GOSPORT DIC	
CSM74 II HX SOME DOCUMENTATION -	
CSM76 [] DF-WINTHSUSS EAGURE	
CSM77 [] SHRINKI WYCAF (NOT SUTTABLE FOR) ROAFTBANGSCOTATION)	
	CSM34 (I 240V. MARINE BATTERS CHARGE
C. MANUSCO, AND COCKETT CLIRETONS, WHITE PVC	CSMSSIN . B NAVIGO-BATTO BITGOOH WITH AER-
COMMETRIBUSE BOOK OCHONOMINEANS CSM 12 LL S SOCKET DETAORPIT (1)	CSM37 [] 240V. (OKINDATE) LIAKTER SEE WITH CSM33)
	a second
TOTAL	
B'FWD GWT8	
C'EWD	

(in full)		XVIII SMAGI
Address	processor de la	We story Weekler Literacy ATTALLED AT YEAR OF THE STANKE THE STAN
20.000		
Day Telephone No	The second second	Home Telephone No
Occupation (s)	an east lark sections of (1)	Required for Builders Certificate
		control of a concert to your M come to the first of a con- cert of the control of
FINANCE COMPANY (if applical	ble):	Standard Self Scheduline Self-Self Self-Self Self-Self-Self-Self-Self-Self-Self-Self-
Name & Address		Street Lance Clark, the color people of the problem of a color scale of the Tally Tallet — Her Mind trips for a final constitution of the popular people of the Scale of the Scale of the Color of the
	/E-18 10 to the model of	ed the baid will be acceptance to reject that is store and proced beings at algorith. And finite are at 150 and 150 calls. Appet that is, basis will be reliably more with an appear of the 1600- time of the ball to be acceptant to the state of the reliably more acceptance and the section of the state of
		Contact.
Telephone No		Loan Details
PART EXCHANGE DETAILS:		
		The state of the first product of the state
		English and refer to the set of the first of the Company polarion english that plants are made and the St.
		though Holly and Tesh cabin arise Despite Leath Serversion
THE RESERVE TO SECURE	Market Street Street	
PAYMENT DETAILS:		with the property of the prope
Total Contract (ex VAT)		
VAT @ 15%		a temporary Continue and the second of the color of the second of the se
Total		A second section of the section o
Deposit Due/Received	Date	Value
First payment due	Date	Value
Finance payment due	Date	
Part Exchange Allowance (if app	licable)	ting most first tracking and the man of the control of all the control of the con
Balance Due 10 days before con	npletion	Consequence of a service of the recommendation of the service of t
CUSTOMER'S SIGNATURE	on twice except the first control for the cont	DATE
SALESMAN'S SIGNATURE		DATE

TERMS AND CONDITIONS

DOC! MANADY

- NAMY
 In these Conditions of Sale the "Company" shall mean WESTERLY YACHTS LIMITED.
 These Conditions shall apply to any contract between the Company and any person, firm or company ("the Purchaser") placing an order with the Company in respect of any goods, components, products or other items. or services ("the Products")
- "International Sales" means those sales of products where the Purchaser's place of business (if any) or (c) normal residence is outside the United Kingdom of Great Britain and Northern Ireland ("the UK") and "UK Sales" means all other sales.

- (b)
- (c)
- The Company will be under no liability for any order received until the order is accepted by the Company in writing by signing its Contract form ("the Contract").

 Any offer which is contained in any Contract may be withdrawn at any time prior to its signature by the Company and will automatically be withdrawn under the serms of this condition if it is not returned duly signed by the Purchaser within 30 days of despeats to the Purchaser.

 An accepted order may only be cancelled or varied with the Company's consentand the giving of this constitution shall not in any way prejudice the Company right to recover from the Purchaser full compensation for any loss or expense arising from such cancellation or variation.

 Any offer, order, sale, and/or delivery or any conduct in confirmation of any transaction will be subject to these terms and conditions which are the only basis upon which the Company does business and shall prevail notwithstanding any printed or other conditions contained or referred to in any purchase order or other document prepared by or on behalf of the Purchaser.

 No other agreement, representation, promise, undertaking or understanding of any kind unless expressly confirmed in writing by the Company shall add to, vary or waive any of these terms and conditions NONS. (d)
- (e)

VARIATIONS

- IONS
 If the Purchaser wishes to vary, increase or modify the standard equipment or options contained in the
 Company's boat specification then the Company may at its discretion agree to such change but if it does
 so agree then it will do so on terms that the price of the equipment or option in question shall be increased
 by 50% providing such change is agreed during the work in full stage of manufacture of the boat and by
 100% if such change is after the completion of the work in hull stage.
- No variation, increase or modification to non standard equipment or options shall be allowed

PRICES

- es for the Products are Net ex works and do not include:-

 - tts are net ex works and so not include.*
 VAT or any other sales taxes;
 Insurance;
 The cost of unloading, effecting delivery and commissioning in accordance with the terms
 - (iv)

 - Any special packing or alteration to the order required by the Purchaser all of which charges shall (if applicable) be shown in addition to the price for the Product in the

Contract PAYMEN

- NT
 Unless otherwise agreed in writing payment of one third of the total contract price shall be made at the time of signature of the Contract(less any deposit already paid) and the ballance (together with any extra costs payable in accordance with these Conditions) shall be paid not later than 10 days before the date notified by the Company to the Purchaser as the estimated date of completion of manufacture
 Failure by the Purchaser to pay in accordance with the provisions of the condition shall entitle the Company, without prejudice to its rights to damages to suspend any outstanding work or deliveries or to cancel the Comtact. (a)
- (b)
- Contract
 In addition to the Company's rights under sub-condition (b) the Company shall be entitled to charge interest
 on any amounts outstanding (both before and after judgment) at the rate of 3 per cent above the Barciays
 Bank base rate for the time being in force
 Payments by letter of credit hall only be made if so designated on the face of the Contract and if this does
 apply all costs including bank charges shall be for the account of the Purchaser and all letters of credit shall (c)
- (d)
 - favour of the Company;

 - Consistent with the provisions of these terms and conditions; In sufficient amounts and for the period necessary to meet with all payment obligations
 - Irrevocable, transferable and divisible
- (v) sused or confirmed by a Bank in London acceptable to the Company within fifteen days after the date of the Contract

 DELIVERY AND PASSING OF RISK

- The risk in the Products passes to the Purchaser on delivery
 - The risk in the Products passes to the Purchaser on delivery
 Where delivery is to take place at the Company's works delivery shall actually occur (and risk shall therefore
 pass) at the time when the Products are placed onto the Purchaser's transport. The Purchaser shall be
 responsible for securing the Products to such transport
 Where delivery is to take place other than at the Company's works then:

 (i) If the Company is not commissioning the Product then delivery shall actually occur (and risk shall
 therefore pass) when the Products arrive at the place of delivery. The Purchaser shall be responsible for
 inspections and unlessfor the Products.

- (e)
- therefore pass) when the Products arrive at the place of delivery. The Purchaser shall be responsible for unsecuring and unloading the Products arrive at the place of delivery shall actually occur (and risk shall therfore pass) which the commissioning is complete. The Company will use all reasonable efforts to deliver the Products in accordance with dates specified out failure to comply with such dates shall not constitute a breach of this Agreement and dates of delivery are approximate only and are not of the essence of the Contract. Where the Purchaser notifies the Company that it is unable to take delivery of the Products in accordance with the date stated in the Company shall endeavour to store the Products and the Purchaser shall reimburse the Company without delay all costs and storage charges incurred by the Company until delivery takes place. Where the products are to be delivered by installments and the Purchaser either fails to accept any delivery when due or defaults in making any payment when due, then the Company may cancel any or all subsequent deliveries and the Purchaser shall compensate the Company in full for any loss or expense arising from such cancellation. (f)
- (g) The Company will package the Products to protect them during transit by normal means for a normal period The Purchaser shall pay for any additional packaging which it may specify PASSING OF PROPERTY

- PASSING OF PROPERTY

 (a) The Company shall retain property in the Products:

 The Purchaser shall be entitled to sell the Products and pass the property in the same to third parties in the normal course of business until the events set out in (e) below, but the proceeds of resale and/or the claim to such proceeds will be held in trust for the Company until such time as all sums owing to the Company in respect of the sale of such Product have been paid. respect of the sale of such Product have been paid.
 Until such sums have been paid the Purchaser shall, subject to the terms of this condition, retain the Products.
- c)
- Unit such sum have been paid the Purchaser shall, subject to the terms of this condition, retain the Products in a fiduciary capacity.

 The Company shall be entitled at any time while any monies in respect of the Products are outstanding to notify the Purchaser of its intention to retake possession of them.

 On receipt of notice from the Purchaser or on the happening of any of the events set out under (e) below the Purchaser in notice from the Purchaser in the happening of any of the events set out under (e) below the Purchaser from sale made prior to the withdrawal of authority shall be paid by the Purchaser into a Bank account separate from all other of its monies and held in such account for the Company, Further all Products shall be immediately redelivered to the Company and it by its servants or agents shall have the right during normal business hours to entar upon any land or buildings to take possession of the Products. The events hereinbefore referred to are:

 (i) any notice that a Receiver or manager is to be or has been appointed;
 (ii) (where the Purchaser is a corporate body) any notice that a petition to wind up the company is to be or has been presented or any notice of a resolution to wind up the company (save for the purpose of a reconstruction or amisglemator);
- - of a reconstruction or amalgamation);

 (iii) a decision by the Purchaser that it intends to make an arrangement with

 (iv) any act of bankruptcy as defined by Section 1 of the Bankruptcy Act 19

SPECIFICATIONS

specifications are approximate only and are subject to normal margins of tolerance for the materials and All specifications are approximate only and are subject to normal margins of tolerance for the materials and construction in question. Whilst the Company will endeavour to menufacture the Products in accordance with the specifications prevailing at the time of the Contract it reserves the right notwithstanding the above to vary the specifications without notice in the light of changes in technical knowledge, production techniques, Government or other regulation, consideration for safety or other resourcible cause. The delivery of Products conforming to the Company's prevailing design and specifications at the time of delivery shall be good and sufficient performance of the Contract by the Company

DEFECTS APPARENT ON INSPECTION

(a) The Purchaser shall have no claim for defects apparent on visual inspection unless

- the Purchaser inspects the Products within three working days of delivery; and a written complaint is made to the Company within fourtieen days of delivery (specifying the (ii) a written cor shortage or defect) and
- shortage or detect) and
 the Company is given an opportunity to inspect the Products and investigate any complaint
 before any use is made of the Products;
 (iv) in International Sales where delivery is to be made in the UK inspection and claims must be made
- (v) in International Sales where derivery is to be made in the UK inspection and caims must be made whilst the Product is in the UK to allow the Company to inspect the Product which is the subject of complaint in the UK and the Purchaser must if necessary appoint an agent to carry out such inspection on his behalf if a complaint is not made to the Company as herein provided then the Products shall be deemed to be in all respect in accordance with the Contract and the Purchaser shall be bound to pay for the same accordingly
- DEFECTS NOT APPARENT ON INSPECTION
- The Purchaser shall have no claim in respect of defects not apparent on visual inspection at the time of
 - delivery unless (
) a written complaint is sent to the Company as soon as reasonably practicable after the defect is discovered and no alteration made thereto before the Company is given an opportunity in accordance with sub-condition (d) of this Condition to inspect the Products; and (i) the complaint is sent within twelver months of the date of delivery of the products in UK Sales and within 90 days of the date of delivery in International Sales or in the case of items not manufactured by the Company within the guarantee period specified by the manufacturer of such item. The Purchaser shall not be entitled to any claim in respect of any repairs or alteration under-taken by the Purchaser without the prior specific written consent of the Company nor in respect of any defect arising by season of fair ways and train or damaged up to misuse.
- Season of fair weer and tear or damage due to misuse.

 The Company shall not be liable for loss or damage suffered by reason of continued use of the Products after the Purchaser becomes aware of a defect or after circumstances which should reasonably have
- after the Purchaser the existence of a defect or after circumstances which should reasonably have indicated to the Purchaser the existence of a defect a written complaint (or twenty eight days where the Products are situated outside the UK) inspect the Products and the Purchaser if so required by the Company shall take all steps necessary to enable the Company to do so

WARRANTY 11

- The Company will make good by replacement or at its option by repair all defects in Products which have been manufactured by the Company and which arise solely from faulty design (other than a design made, furnished or specified by the Purchaser for which the Company has disclaimed responsibility in writing) materials and workmanship PROVIDED THAT all such defects are reported to the Company in writing in accordance with the terms of clauses 9 and 10 above. Maintenance has been carried out in accordance with Westerly Yachts Owners Manual. The warranty does not cover damage to the Products caused by solidated in the products caused by the products of the Products are set of the products.
- with Westerly Yachts Owners Manual. The warranty does not cover damage to the Products caused by accident, misuse, acts of third parties, environmental conditions or other causes beyond its control. Products incorporating the defective parts (or the parts them selves if they can be detached from the Product without damaging (it) must at the Company's option be returned to its works. The Company shall refund the cost of carriage on such returned Products or parts and the repaired or new parts will be delivered by the Company. Where Products are repaired or replaced under this Condition they will be considered as having been delivered at the same time as the original Products. Where claims are made by the Purchaser under this condition the Company shall use all reasonable endeavours to rectly the problems as oon as practicable. The parties hereto accept that such rectification may take a longer time during those months of the year (in the Spring and Summerly within the popular for salling and that it is the Company's intended objective in responding to complaints to keep its Purchasers sailing in askly
- saling an area tris or company a memorous objection in responding to several tris normal rates for travel subsistence labour and materials in carring out any ection and rectification
- imprecion and reconsecution. In the case of Products not manufactured by the Company the Purchaser is entitled only to such benefits as the Company may receive under any contract with the manufacturer and which it is entitled to assign to
- as the Company may receive under any contract with the manufacturer and writer the shallow of any the Purchaser.

 The Company's liability under this clause shall be in lieu of any werranty or condition express or implied whether by stable or otherwise (except Section 12 of the Sale of Goods Act 1979) including but without initiation, the implied warrantees as to merchantable quality or fitness for purpose except where the Purchaser contracts in UK Sales as a "consumer" within the meaning of Section 12 of the Unfair Contract Terms Act 1977 in which event Sections 13, 14 and 15 of the Sale of goods Act 1979 shall apply to the Contract

LIMITATION OF LIABILITY

- The Company shall be liable for:(a) Death or personal injury arising from its negligence,

- and
 The repair or replacement of the Products in accordance with the obligations contained in Condition 11 above.
 Any breach of the obligations (sitle to Products) contained in Section 12 of the Sale of Goods Act 1979
 The Company hereby expressly excludes and shall not be responsible for any other loss damage or liability
 arising out of the Contract whether direct or indirect or consequential and whether or not caused by its
 arising out of the Contract whether direct or indirect or consequential and whether or not caused by its
 arising out of the Contract whether direct or indirect or consequential and whether or not caused by its
 arising out of the Contract whether direct or indirect or consequential and whether or not caused by its
 arising out of the Contract whether direct or indirect or consequential and whether or not caused by its
 arising out of the Contract whether direct or indirect or indirect or indirect or consequence or indirect or other contract.

SECOND HAND SALES

- The terms of clauses 9, 10 and 11 do not apply to sale of second hand Products which are sold as seen. Unless otherwise stated demonstration Products are sold as new
- CHARTERING Chart I charks
 The warranty contained in Condition 11 above shall apply to Products which are to be used for chartering or for other business purposes with the modification that complaints in respect of defects not apparent on visual inspection must be sent within 90 days of the date of delivery
 DATA AND TECHNICAL INFORMATION

DATA AND TECHNISTAL INFORMATION
Their information contained in the exerct sing sales and technical literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any illustrations performance details examples of installations and methods of assembly and all other technical data in such literature are based on experience and from brials under test conditions. Accordingly the information contained in the Company's publications is provided for general guidance only and forms no part of the Contract unless expressly agreed in writing. Purchasers should obtain specific recommendations and advice from the Company regarding the uses and attributes of the Company's products.

Company's products FORCE MAJEURE

FORCE MAJEURE
The Company shall be under no liability for any delay or failure to perform in the event that the manufacture, supply or delivery of the Products is prevented or delayed by any act or circumstances beyond the Company's reasonable control including but not limited to Act of God, legislation, war, fire, drought, failure of power supply, lock-out, strike or other action taken by employees incontemplation or furtherance of c > sade dispute or owing to any inability to procure matterials required for the performance of the Contract

WAIVER AND SEVERANCE

- (a) Any indulgence granted by the Company to the Purchaser and any failure by the Company to insist upon strict performance of these terms and conditions shall not be deemed a waiver of any of the Company's rights or remedies not be deemed a waiver of any subsequent default by the Purchaser

 (b) The invalidity in whole or in part of any clause in these terms and conditions shall not affect the validity of the remainder of such clause or these terms and conditions.

 ASSIGNMENT

ASSIGNMENT IT THE CONTROL IS A SEGMENT OF THE COMPANY AND of its rights and obligations hereunder

TERMINATION

It the Purchaser becomes insolvent or in the opinion of the Company is likely to go into bankruptcy, receiverable or liquidation, or makes default in or commits a breach of the Contract, the Company may forthwith on written notice to the Purchaser terminate the Contract without incurring liability to the Purchaser and without prejudice to the Company's, rights which may have accrued up to the date of termination.

CONSTRUCTION

No variation or addition to these Conditions shall be effective unless contained on the face of the Contract or in a written instrument signed by a Director or the Secretary of the Company GOVERNING LAW

The interpretation and application of the Contract shall be in accordance with English Law and both parties hereby to submit to the non-exclusive jurisdiction of the English Courts agree to sub HEADINGS

- The section headings contained herein are for convenience of reference only and shall not affect the interpreta of any term or condition hereof CUMULATION OF REMEDIES
- All remedies available to either party for breach of this Contract are cumulative and may be exercised concurrently or separately, and the exercise of any one remedy shall not be deemed an election of such remedy to the exclusion

NOTICES

Any notice or other communication hereunder shall be in writing, (which includes telex) and shall be duly given when actually delivered to the Company or the Purchaser at its address on the face of this Contract or such other address as may from time to time (by written notice to the other party) have been designated for such purpose



WESTERLY

Westerly Yachts Limited

Designers and Builders of Fine Craft
47 Aston Road, Waterlooville, Portsmouth, Hants PO7 7XJ
Telephone: Waterlooville (0705) 254511
Telex: 86328

Fax: (0705) 268032

WESTERLY STORM 33 CRUISING

GUIDE TO STANDARD SPECIFICATION:

SEPTEMBER 1989

SAILS & RIGGING: Silver anodised mast and boom. Stainless steel standing rigging with single backstay. Terylene running rigging. Mainsail and No. 1 jib. Main and headsail halyards, slab reefing lines and kicking strap led aft to cockpit. Topping lift on mast. Signal halyards. Blue mainsail cover.

DECK FITTINGS: 24" stanchions with stainless steel lifelines. Headsail track port and starboard with one car on each track. Stainless steel bow rail, split stainless steel stern rail and ensign socket, twin bow rollers. Spinnaker deck fittings. 35lb. plough anchor and stowage, 15 fathoms 5/16" chain. Cleats: 2 foredeck, 4 midships, 2 stern cleats. . Stainless steel stay and shroud plates. Teak coachroof handrails. Drained gas locker, with provision for 2 bottles. One 6 lb Gaz bottle supplied. Four fenders. 2 x 40 ft. mooring lines. Navigation lights, steaming light, deck light. Manual bilge pump. 1 bulkhead compass. Winches: 2 two speed halyard winches, 2 two speed foresheet winches. 2 winch handles. 2 cockpit coaming lockers. Mainsheet track and traveller. Tiller steering. Grey non-slip painted deck surface. Grey treadmaster on cockpit seats and sole. Bridge deck. Swimming ladder & transom steps. Blue sprayhood.

CABIN FITTINGS: Forecabin - Double berth, hanging locker, washbasin with hot & cold water supply. Deck hatch with ventilator. Carpeted cabin sole. Saloon - Port and starboard single settee berths. Centre line table with bottle stowage and dust tray under, side lockers port and starboard. Holly and Teak cabin sole. Double berth conversion. Curtain track. Galley - Gimballed 2 burner cooker with oven, grill, work top and crash bar. Stowage for crockery, cutlery and dry stores. Pan stowage. Twin stainless steel sinks with hot & cold water supply from stainless steel tank. (Total water capacity 40 gallons including independent tank for cold to forward vanitory unit). Work top with teak fiddles. Chopping board. Refrigerated ice box with shelf. Rubbish bin. Chart Table - With chart stowage under desk top. Separate chart seat. Provision for instruments. Book rack stowage. Chart light. Wet Locker aft of chart table with drain to bilges. Tool drawer. Heads - Marine WC, moulded washbasin with hot & cold supply to basin & shower. Shower curtain rail. Pumped shower drainage. Opening window into bridge deck. WC fittings. Grab handle. Aft Cabin - Double berth. Hanging locker. Carpeted sole. Curtain track. Windows- Opening window into bridge deck. Fixed window into cockpit. Lights - 2 reading lights in forecabin, 4 lights in saloon, 1 in heads, 1 over galley, 1 red/white over chart table, 2 in aft cabin, 1 in sail locker, 1 in engine compartment. Electrics - Central 16 way switch panel with circuit breakers by chart table. Battery state indicators. Fuel & water tank gauges. Cushions - 5" berth cushions with 4" seatbacks in saloon in choice of colours. Dry powder fire extinguisher.

INSTRUMENTATION: Water speed, log & depth sounder (digital) fitted at snood.

ENGINE: Volvo 2003, 3 cylinder diesel in sound deadened engine compartment. Flexible mounting. 50 amp alternator. Fixed 2-bladed propeller. Water cooled exhaust. Cockpit instrument panel. Electric start. Double batteries, total capacity 190 amp/hrs. 18 gallons fuel tank. Calorifier using engine to heat fresh water for shower and sinks.

HULL: White hull. Fin keel. Blue Moulded coloured trim line. Cove Line. Teak rubbing strake. Blue antifouling. Bronze underwater skin fittings. Self draining cockpit. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- A £500 deposit and the Purchaser's signature upon this specification form reserves a boat at the current price pending preparation of a contract by Westerly Yachts Limited. This specification is not the contract and the deposit is returnable to the Purchaser if a contract is not signed.
- One third of the total price, less the initial £500 deposit payable upon signature of the contract. When the contract is signed by the Purchaser and returned a delivery date will be confirmed and the contract will be signed by Westerly Yachts Limited.
- The balance outstanding is payable ten days before completion of the boat at the factory. The boat as described to specification and standard inventory is liable to change according to availability of bought in and manufactured supplies. Some items shown in photographs are not included in the standard price.
- 4 For other conditions see our standard Terms and Conditions of Sale which are printed on the final page of the Order Form.

OPTIONS

STORM 33 CRUISING

£	SAILS AND RIGGING
440 366 180 220 1467	No. 1 genoa - Camber stripes and tell tales No. 2 genoa - Camber stripes and tell tales Storm jib Spinnaker pole and deck stowage Rotostay reefkit with special genoa and suncover in lieu of standard jib
	DECK FITTINGS
466	Anchor winch - manual
	NAVIGATIONAL INSTRUMENTS
294 294 492 270 140	Navico radio RT6500H with aerial (V'tronix) Windspeed/direction Multifunction repeater Windspeed/direction repeater V-Tronix combined VHF aerial and Hawk indicator at masthead including co-ax to chart table, deck plugs and 12v supply
645	Autohelm 2000 GENERAL
961 395	Cradle Delivery to Gosport including launch and commissioning

ALL PRICES ARE EX VAT

A full list of factory fitted extras and colour options is available on request

WESTERLY STORM 33 CRUISING

SEPTEMBER 1989

EXTRAS PRICE LIST

(All prices are ex VAT)

These prices are for items fitted at the most appropriate stage of construction in the factory.

Any changes to specification after contract freeze date or after completion will be subject to extra charges.

SAILS & RI	GGING	CSM246	545	CSM555N CSM557N	49 27
Code	£	CABIN FI	ITINGS	CSMD3714	21
				Brookes & Gatehouse	
CSM10C	440	CSM32	34		
CSM11C	366	CSM33	578	CSM520	54
CSM112	277	CSM34	353	CSM521	32
CSM12C	1467	CSM35	681	CSM522	65
CSM113	898	CSM36	353		
CSM13C	180	CSM37	101	Decca equi	pmeni
CSM14C	721	CSM38	130		
CSM15C CSM16C	798 260	CSM39	164	CSM530	32
CSM17	220	CSM310	114	CSM531	5
CSM17 CSM19C	OPT	CSM311	657	CSM532	82
CSM19C	30	CSM313	88	*****	
CSM101	140	CSM314	105	HUL	•
CSM102 CSM103C	124	CSM316	2133	CONACO	00
CSM103C	145	CSM317	155	CSM61	27
CSM104 CSM105C	52	CSM318	108	CSM62	9
CSM105C	46	CSM319	31	CSM63	9
CSM108C	141	CSM320 CSM321	236 49	CSM64	73
CSM109	20	CSM321 CSM322	84	CENTER	AT
CSM110	135	CSM322 CSM323	85	GENER	AL
CSM110	133	CSM324	83 77	CCMT	Tor
DECK EIT	TINGS	CSM324 CSM326	88	CSM71 CSM72	90
DECK FITTINGS		CSM327	112		39
CSM21	27	CSNI321	112	CSM73 CSM74	39
CSM22	107	CABIN CU	CHIONS	CSM74	10
CSM23	107	CABINCO	SHIONS	CSM76	
CSM24	34	Velvets [st	andardl	CSM77	13
CSM25	26	V ELVELS 131	anaur aj	CSM77	28
CSM26	52	CSM370	OPT	CSM79	49
CSM27	199	CSM371	OPT	CSM79	16
CSM28	199	CSM372	OPT	CSM711A	274
CSM29	199	CSIVISTE	Ori	CSM711A CSM712	2/2
CSM210	199	Chenille	[exten]	CSM712	PO
CSM211	451	Chermane	(CM/M)	CSM713	10
CSM212	44	CSM374	827	C3M714	
CSM213	88	CSM375	757		
CSM215	466	CSM376	757		
CSM216	854	COMISTO	131		
CSM217	1029	ENGINE			
CSM218	POA	ENGINE			
CSM219	40	CSM41	69		
CSM221	OPT	CSM42	142		
CSM223	OPT	CSM44	82		
CSM225	OPT	CSM45	397		
CSM227	1643	COMTO	371		
CSM251	1643	NAVIGATIO	NAL AIDS		
CSM230	106				
CSM231	52	CSM51	140		
CSM232	58	CSM52	645		
CSM234C	231	COMPE	013		
CSM235C	220	Naute	ech		
	35	TVALLE	2010		
CONICOR		The second secon			
CSM238 CSM239	254	CSM551N	294		