36ft sailing cruisers by





SOLWAY SHOAL DRAFT TWIN KEEL

In each of the possible cabin layouts, L-shaped seating allows 6 people to eat in comfort. Stowage is extremely generous, lockers being fitted in every possible place, and there is even a general-purpose walk-in stowage cabin for sails and large items of gear, with access from the cockpit and through a doorway to the cabin.

Choices: Ketch or sloop rig. Three cabin layouts.

A. Galley forward, with passage berth.

B. Galley aft, partly in passage.

C. Galley to starboard, with passage berth.



Aft cabin, showing door to walk-throug



Main cabin, looking for'ard. 'B' layout.



Galley area. 'B' layou







Chart table and sail locker. 'B' layou

Westerly 36ft Craft *



These are currently the largest boats in the Westerly range of family sailing cruisers.

There are four versions, each available with a choice of ketch or sloop rig.

Solway and Conway have an aft cabin, and offer a choice of cabin layouts.

Medway and Galway have an aft cockpit.

The hull shape for Westerly 36-footers was tanktested at Southampton University. The result is a 'stiff' boat with good directional stability.

Wheel steering is fitted as standard to all models. These boats are designed as 6-berth sailing cruisers with powerful auxiliary engines, intended for extended off-shore cruising and well able to make ocean passages. All offer a very good standard of comfort for a cruising family, with spacious, practical cabins and ample stowage for sailing gear, personal gear and stores. The decks are uncluttered and the cockpits roomy, with ample seating.

The heads are well planned and include a shower; hot water can be provided. The galley is designed for cooking at sea as well as in harbour and a refrigerator can be fitted. Cabin bulkheads and furniture are of wood wherever practical and you may choose from a

wide variety of furnishing materials.

Construction is extremely robust, with heavy reinforcement at key points. Precise, solid workmanship in top-quality materials is a feature of all Westerlys, and fittings are also of first quality throughout. For instance, all deck fittings are through-bolted with backing plates; keels are secured by heavy stainless steel threaded studs; the rudders have stainless steel stocks and stiffening rods; and decks are treated with really effective non-slip paint. Every boat is carefully checked throughout building and is issued with a Lloyds certificate of construction.

This brochure cannot do more than give a general impresssion of Westerly 36ft craft. Only a test-sail will enable you to evaluate them properly, and any one of our sales and service centres will be happy to arrange this, given a few days notice. We'll

also be glad to show you round our factory at Water-looville, Hampshire, if you're able to visit us.

Optional extras In addition to a very full standard specification, shown in full on the price list/order form, a number of extras are available: water-heater, double-berth conversions, and a complete range of navigational equipment.

Ketch or sloop rig is available on all models. Ketch rig offers somewhat easier handling, and a ketch-rigged 36-footer can be readily sailed by a husband and wife team.

After sales service Westerly attach great importance to after-sales service, and endeavour to provide every owner with all the assistance he needs with modifications, repairs, advice and sailing instruction if required. This service accounts, to a large extent, for the very high second-hand value of all Westerlys.

Chandlery and spares are available from Westerly's shop at Waterlooville for all your equipment and stores.

The 36ft Westerly Range

Aft Cabin			Aft Cockpit				
SOLWAY	CONWAY		GAL	NAY I	MEDWAY		
	Deep Draft		Shoal	Draft	Deep	Draft	
SPECIFICATION							
Draft	Draft		Draft				
4.7ft; 1.42m	6ft; 1.83m Weight		4.7ft; 1.42m Weight		6ft; 1.83m		
Weight 7.75 tons;	7.2 tons;		7.75 tons;		Weight 7.2 tons;		
(7870 kg)	(7315 kg)		(7870 kg)		(7315 kg)		
Ballast)	Ballast		Ballast 3.7 tons;		Ballast		
3.7 tons; (3760 kg)	3.2 tons; (3251 kg)		(3760 kg)		3.2 tons; (3251 kg)		
(0100 116)	(0=01.08)		(0,00 mg)		(0201 118)		
Longth	overall	35.75	F+	10.89n			
Length overall Length waterline Beam Thames measurement		30.4ft	30.4ft 11.2ft 14.54 tons		9.26m 3.41m		
		11.2ft 14.54					
Sa	Maine	.:1	000	64 OC 0			
— sloop rig:		No. 1	No. 1 genoa 43 No. 2 genoa 33 No. 1 jib 23		282 sq ft 26.2 sq m 450 sq ft 41.8 sq m 334 sq ft 31.0 sq m 220 sq ft 20.4 sq m 110 sq ft 10.2 sq m		
		No. 2					
		No. 2					
		Mains	ail	239 sq	ft 22.2	sq m	
		Mizzei	Mizzen No. 1 genoa No. 2 genoa		69 sq ft 6.4 sq m 435 sq ft 40.4 sq m 334 sq ft 31.0 sq m 220 sq ft 20.4 sq m		
		No. 2					
	No. 1	No. 1 jib No. 2 jib		ft 20.4 ft 10.2	sq m		
			n staysail		sq ft 18.3 sq m		
Standing		mm dia. 1 x 19 stainless steel,					
		swaged ends. (Mizzen 5mm dia. 1 x 19.)					
Running rigging		Jib ha	Jib halyard stainless steel, Terylene				
	lene. I	tail. Main halyard pre-stretched Terylene. Lifts and sheets Terylene.					
Jib sheet winches			top action, two speed, 1.1 and 7.5: 1				
Masts ans spars		gold a	power ratio 40:1 gold anodised aluminium alloy through mast reefing main mast				
Seacocks and skin							
fittings Deck fittings			Marine bronze Stainless steel, alloy or coated marine				
Steering		bronz	bronze wheel steering, cable system through				
		sheeve	sheeves to quadrant				
Cons		Each boat carries a Lloyds certificate Laurent Giles and Partners					

WESTERLY MARINE CONSTRUCTION LTD..

We are always looking for improvements and thus reserve the right to change the specification without prior notice.

Aysgarth Road, Waterlooville, Portsmouth, Hants PO7 7UF. Tel: Waterlooville (07014) 54511 Telex: 86328



Aft cockp

DEEP DRAFT FIN KEEL

GALV

SHOAL DRAFT TWIN KEEL

Accommodation is in two and two hanging lockers hanging locker will close required.

required.

The forward cabin and headroom under the (1.87m).

Thanks to the aft cabin is remarkably spaci in length, with a general headroom.

U-shaped seating to settee opposite allow six p


The large galley is f and a cooker with 2 burn fitted the bottled gas is vented outboard.

Two good sea-berths located under the cockpit large chart table with a and charts.

Every possible space storage. There are generous behind the hinged, cust further lockers with slidithe side decks.

Choices: Ketch or sloop layout.

Ketch-rigged Galway at sea.







it models NAY /AY

cabins, with large heads etween. The door of one off the forward cabin if

ves two 6ft plus berths, fore hatch is 6ft 1in

ockpit design, the main us. It measures 12ft 5ins us 6ft 3ins (1.92m) of

starboard and a 6ft + cople to eat in comfort. tted with a double sink, ers, grill and oven. When tored in its own locker,

port and starboard, are seats, and there is a very aple stowage for books


has been used to provide lockers under all bunks, nioned seat backs and g doors are fitted under

rig; two or three cabin



Sloop-rigged Medway at sea.







Main cabin, looking for'ard

