



WESTERLY

Westerly Yachts Limited

Registered Office: 57 Ryeon Road, Watlington, Banbury OX15 1JY

Telephone: Watlington (0796125551)

Fax: (0796) 25002

Telex: 83166

WESTERLY KONSORT 29 ORDER FORM

SEPTEMBER 1987

THE STANDARD SPECIFICATION COMPRISES:

SAILS AND RIGGING: Mainsail & No.1 jib. Silver anodised mast & boom. Stainless steel standing rigging. Terylene running rigging. Main and jib halyards led aft. Topping lift. Bugee halyard. Slab reefing with lines led aft. Kicking strap.

DECK FITTINGS: Two top action two speed foresheet winches. Two 20c single speed top action halyard winches. Two winch handles. Stainless steel bow & stern pulpits. Gate in stern rail. Stainless steel double lifelines with 24" stanchions. Spinnaker deck hardware (excluding spinnaker winches & boom). Sliding jib sheet leads. Twin bow roller and chain pipe. 25 lb plough anchor. Anchor sternhead stowage. 15 fathoms 1/4" chain. Main sheet track & traveller. One forward, two stern and two 'midships mooring cleats. Two bow fairleads. Stainless steel stay and shroud plates. Ensign socket on stern pulpit. Teak handrails on cabin top. Teak washboards for sprayhood. Bi-colour navigation lights on pulpit. Steaming and stern lights. Tiller steering. Grey treadmaster on cockpit-coamings and seats. Grey non slip deck paint. Compass. Gas locker with 6 lb Gaz bottle. Cockpit sail locker. Teak toe rail. Four fenders. Two 40' mooring lines.

CABIN FITTINGS: Four bulkhead mounted saloon lights, chart, galley & quarter berth lights. Two lights in forecabin and one in heads. Central circuit breaker panel. Complete set of berth cushions with seatbacks. Cabin sides lined in foam backed vinyl. Foam backed deckhead panels in saloon. Fixed saloon table with bottle stowage. Galley unit with stainless steel sink. Drained ice box. Work surfaces. Drawers. Two burner cooker with grill and oven in gimbals using gas. Plate & cup stowage. Water supply to stainless steel galley sink and sliding wash basin in head from 30 gallon stainless steel tank. Marine W.C. and deck ventilator. Forward cabin with two berths & lockers under. Hanging locker. Cabin ventilation grille. Hand rails. Chart table & stowage. Holly and Teak flooring throughout. Double berth conversion in main & forward cabins. Opening ports in heads, hanging locker and forward cabin. Perspex main and forward hatches. Dry powder fire extinguisher fitted. Curtain rails and runners in saloon, forecabin and heads.

ENGINE: Volvo 2002 diesel. Flexible mounting. 50 amp alternator. Two bladed propeller. Water cooled exhaust. Control panel. 102 amp/hr battery in double battery box. Electric start. Remote controls. 15 gallon fuel tank. Low maintenance stern gland. Sound deadened engine box.

GENERAL: White hull. Fin keel. Blue moulded trim line. Alloy framed window. Teak rubbing strake. Cove line. Marked waterline. Bronze seacocks & underwater skin fittings. Self-drained cockpit. Bilge pump. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- 1 A £500 deposit and the Purchaser's signature upon this specification form reserves a boat at the current price pending preparation of a contract by Westerly Yachts Limited. This specification is not the contract and the deposit is returnable to the Purchaser if a contract is not signed.
- 2 One third of the total price, less the initial £500 deposit payable upon signature of the contract. When the contract is signed by the Purchaser and returned a delivery date will be confirmed and the contract will be signed by Westerly Yachts Limited.
- 3 The balance outstanding is payable ten days before completion of the boat at the factory. The boat as described, to specification and standard inventory are liable to change according to availability of bought in and manufactured supplies. Some items shown

SAILS AND RIGGING

CKT140	2088	[.]	Bamar mainsail reefing aft of mast system
CKT12		[.]	No.1 genoa
CKT13	289	[.]	No. 2 genoa
CKT15		[.]	No. 2 jib
CKT16	138	[.]	No. 3 jib
CKT17		[.]	Light weather genoa (150%)
CKT18		[.]	Cruising chute - radial head
CKT110		[.]	Spinnaker radial head
CKT111	1036	[.]	Rotostay reefkit with special No. 1 genoa with sun cover in lieu of standard No. 1 jib
CKT112	98	[.]	Acrylic mainsail cover - blue
CKT113		[.]	- Beige
CKT114	35	[.]	Wire to rope halyards - main & jib
CKT115		[.]	Signal halyards (2)
CKT116	122	[.]	Tri-colour & white masthead light
CKT117	138	[.]	Firdell blipper on mast
CKT118	36	[.]	Nylon shroud rollers
CKT119	41	[.]	Rigging screw covers
CKT120		[.]	Spinnaker gear (sheets, downhaul, halyards etc.)
CKT121		[.]	Cruising chute gear (sheet, halyard etc.)
CKT122	23	[.]	Hawk wind indicator at masthead

DECK FITTINGS

CKT233		[.]	Jackstay lifelines on side decks
CKT21	387	[.]	Lifeline gates, port and starboard
CKT23	22	[.]	Lifelines - PVC covered
CKT24	55	[.]	Dodgers - blue
CKT25		[.]	- beige
CKT26	50	[.]	Name on dodgers
CKT28	69	[.]	Cockpit cushions - state colour required (Blue, Gold, Red, White)
CKT212		[.]	Teak cockpit seats
CKT214		[.]	Cockpit seat in Treadmaster - blue
CKT215	390	[.]	Folding sprayhood - blue
CKT216		[.]	- beige
CKT218		[.]	Non-slip deck paint - beige
CKT221		[.]	Treadmaster decks - beige
CKT261		[.]	- grey
CKT219		[.]	Split bow rail
CKT232		[.]	Outboard stowage on stern rail
CKT229	50	[.]	Additional cleats. Please specify position, size (6", 8", 12".) on scale deck plan (Price each)
CKT222		[.]	Additional 6" fairleads. Please specify position on scale deck plan

Total 5070

.....

C'fwd

(Price each)

CKT223 29 [.] Winch handle pockets (2)

HALYARD WINCHES

CKT225 394 [.] 2 x Barlow 24 CST or equivalent Halyard winches - two speed self tail 6.6:1:24.1 in lieu of standard

FORESHEET WINCHES

CKT227 282 [.] 2 x Barlow 24 CST or equivalent - two speed self tail 6.6:1 24.1 in lieu of standard foresheet winches.

SPINNAKER WINCHES

CKT228 [.] 2 x Barlow 20 C or equivalent - single speed 7:1

CKT231 [.] Spinnaker pole with deck stowage

CKT234 [.] Liferaft stowage (Liferaft type to be stated) Please supply liferaft before contract freeze date for fitting.

CKT249 [.] Stern hung liferaft stowage with quick release gear.

CKT235 32 [.] 12v. plug in cockpit - one

CKT236 [.] - two

CKT237 205 [.] Stainless steel swimming ladder

CKT239 32 [.] Extra chain - 5 fathoms

CKT240 [.] - 10 fathoms

CKT241 [.] - 15 fathoms

CKT243 [.] Additional 10 lb. calor gas bottle.

CKT244 [.] One 6 lb. camping gaz bottle and gas system

CKT245 28 [.] Additional 6 lb. camping gaz bottle

CKT246 404 [.] Anchor winch - Vetus manual

CKT247 [.] Anchor winch - SL electric with foot switch

CKT248 [.] - SL electric with foot & remote switch

CABIN FITTINGS

CKT31 832 [.] Hot & cold pressure water system to all taps plus shower

CKT32 200 [.] Additional second battery and switch

CKT33 141 [.] Additional 8 way switch panel

CKT342 [.] Additional 4 way switch panel

CKT34 [.] 240v. Shore supply with ring main, 20 amp only with 3 outlets

CKT35 [.] 240v. marine battery charger for above.

Total 2577

B'fwd

.....

C'fdw 7647

- CKT36 [] 110v. shore supply with ring main, 20 amp only with two outlets & circuit breaker switch panel.
- CKT37 [] Central heating with 3 outlets, one per cabin.
- CKT38 57 [] Fuel filter/water separator
- CKT39 [] 12v/240v. Transhaver in heads
- CKT312 [] Optimus cooker, 3 burner & oven (No grill)
- CKT313 [] Additional bilge pump - manual
- CKT314 135 [] Additional bilge pump - electrical
- CKT315 [] Additional dry powder fire extinguisher
- CKT316 [] Opening windows, main saloon port and starboard.
- CKT317 [] Fly screens for main cabin opening windows
- CKT318 93 [] Quarterberth opening window to cockpit
- CKT319 11 [] Fly screen for quarterberth opening window
- CKT326 [] Roller blind for forward hatch
- CKT327 [] Additional 12" teak grab handles. Please specify exact position on scale drawing. (Price each)
- CKT328 196 [] Opening hatch in main cabin, 450 x 320
- CKT329 [] Seawater pump to galley
- CKT310 [] Flyscreen for 450 x 320 hatch
- CKT330 16 [] Extra toilet fittings - towel rail
- CKT331 16 [] Extra toilet fittings - soap dish
- CKT332 21 [] Extra toilet fittings - toilet roll holder
- CKT333 16 [] Extra toilet fittings - glass & tooth-brush holder
- CKT334 [] Propane gas system to U.S. spec.
- CKT336 [] Holding tank with dual discharge for heads
- CKT341 59 [] Mast grounding

CABIN CUSHIONS & COLOUR OPTIONS

Velvets

- CKT345 [] Westerly blue sky
- CKT346 [] Westerly oyster
- CKT348 [] Westerly salmon

Tweeds

- CKT349 [] Westerly russett
- CKT351 [] Westerly blue sea
- CKT352 [] Westerly champagne

Total 620

B'fwd

C'fdw 8267

ENGINE

- CKT48 [] Volvo engine hour meter
- CKT49 66 [] Volvo battery state indicator
- CKT411 [] Engine spares kit - Volvo
- CKT46 [] Folding propeller

HULL

- CKT61 [] Customer supplied skin fittings. Please specify on separate sheet.
- CKT62 [] Moulded trim line - maroon
- CKT64 [] Antifouling - Alternative colour *
-
- CKT65 [] Waterline stripe - blue
- CKT66 [] Waterline stripe - Alternative colour *
-
- CKT69 [] French homologation
- CKT610 [] German regulations

* Please state International paints colour code.
PLEASE NOTE the use of an etch primer will invalidate the hull warranty.

NAVIGATIONAL AIDS

- CKT51 235 [] Mechanical sumlog speed & distance indicator mounted in cockpit
- CKT57 300 - 300 - 300 - 300 [] Racal Decca VHF radio with aerial - X
- CKT58 509 [] Wiring only for radio (12v.) and aerial co-ax. incl. through deck plugs. Tails at chart table. 4
- CKT59 [] VHF aerial fitted at masthead and wiring, through plugs to chart table incl. 12v. power supply. ✓
- CKT510 [] V-Tronix combined VHF aerial & hawk indicator fitted at masthead incl. wiring & deck plugs through to chart table including 12v. supply. ✓
- CKT511 [] Autohelm 2000 with windvane
- CKT512 [] Autohelm 2000 without windvane
- CKT534 [] Seafarer 5 echo sounder on swinging bracket

Decca Yacht Navigator

- CKT538 [] Antenna for Decca 3
- CKT539 [] Decca 3

Total 366

B'fwd

C'fdw 8633

- CKT540 [] Power supply only for Decca 3
- CKT541 [] Self powered wind speed indicator
- CKT542 [] Log speedometer
- CKT543 [] Depth sounder
- CKT544 [] Wind speed/direction & close hauled indicator
- CKT545 [] Cockpit "Combine"
- CKT546 [] Cockpit "Combine" with anemometer
(Please note cockpit "Combine" must be fitted as a separate system)

Plastimo equipment

Navico equipment

- CKT558 *2.05* [] Sounder
- CKT559 *2.10* [] Log
- CKT560 *3.25* [] Windspeed/direction
- CKT561 [] Sounder repeater
- CKT562 [] Log repeater

Brookes & Gatehouse Equipment

- CKT518 [] Hecta depth monitor with alarm and analogue repeater
- CKT519 [] Hecta digital repeater
- CKT513 [] Harrier 6
- CKT514 [] Harrier 6 and repeater
- CKT515 [] Hunter
- CKT516 [] Hunter with speed & depth repeater - analogue
- CKT517 [] - digital

GENERAL

- CKT71 *318?* [] *shallow fin* Twin keels in lieu of standard fin
- CKT73 [] Cradle for fin keel model only
- CKT74 [] DTI registration
- CKT75 *368* [] Delivery to Ocean Village
- CKT76 [] Export documentation
- CKT77 [] Winterise engine including a full tank of diesel
- CKT78 [] De-winterise engine
- CKT79 [] Shrink wrap - Not suitable for road transportation
- CKT714 [] Netting for transportation in addition to shrink wrap.
- CKT710 *73* [] Name on stern.....
- CKT711 [] Delivery other than Ocean Village or at Dealer

Total *1499*

B'fwd

C'fdw *10,132*

Address.....

Contact Name

Tel No.....

- CKT712 [] Craneage to own transport
- CKT713 *v* [] Builders Certificate *

Full Name

Total Occupation.....

B'fwd * Please note details given above must correspond with name and address on contract and registration documents (if applicable)

C'fdw

Handwritten calculations:

$$\begin{array}{r}
 30,990 \\
 + 10,132 \\
 \hline
 41,122 \\
 + 6,168 \\
 \hline
 47,290 \\
 \text{VAT} \\
 \text{Less main reefing @ 2400} \\
 = 44,890
 \end{array}$$