

WESTERLY

Westerly Yachts Limited

Registered Office: 47 Aston Road, Waterlooville, Hampshire PO7 7XJ
Telephone: Waterlooville (0705) 254511
Fax: (0705) 268032
Telex: 86328

SEALORD 39 ORDER FORM

THE STANDARD SPECIFICATION COMPRISES:

SAILS & RIGGING: Sloop: Mainsail & No. 1 jib. Blue sail cover. Silver anodised mast & boom. Jib halyard led aft. Topping lift & Burgee halyards. Stainless steel standing rigging. Terylene running rigging. All running rigging led aft. Kicking strap. Mainsail slab reefing lines led aft. Steaming & deck lights on mast. Spinnaker pole track with bayonet fitting slider on main mast. Ketch: The same as the sloop but with the following: Silver colour anodised mizzen mast & boom with running rigging. Mizzen sail with blue sail cover. Split backstay.

DECK FITTINGS: Double stainless steel bow roller. Anchor stowage, anchor windlass. 45 lb. CQR plough anchor. 30 fathoms of 5/16" calibrated anchor chain. Chain pipe. Stainless steel double railed bow & stern pulpits. Gate in stern rail. Lifelines & 24" alloy stanchions. Double lead blocks and jammers for main & jib halyards. Jammers for spinnaker halyard, topping lift, downhaul & mainsail reefing lines. Sliding jib sheet leads. Stainless steel deck eyes for spinnaker quarter blocks and pole downhaul, with double turning blocks for jib sheets and spinnaker sheets. 2 bow cleats, 2 midship cleats, 2 bow fairleads. Stainless steel shroud & steel plates. Staff socket on stern rail. Teak handrails on cabin top. Teak cockpit grating. Teak laid cockpit seats. Mainsheet track & traveller on aft cabin coachroof. Treadmaster deck covering. Wheel steering, with emergency steering system. Foresheet, mainsheet, main halyard, jib halyard, and mizzen halyard (if applicable) winches. 6 fenders & 2 x 50' mooring warps. Vented gas bottle stowage supplied with two 10 lb. gas bottles. Split stern rail. 3 winch handles.

CABIN FITTINGS: all joinery in teak faced marine plywood to a high standard. Forecabin: two single berth cushions and infill, fiddled shelf & locker stowage on hull sides. Stowage bins under berths. Foreward Heads: hot & cold pressure water to stainless steel basin and shower. Pumped shower drainage. Teak grating, shower curtain rail. Marine heads with accessible seacocks. Grab rail Mirror, Opening hatch, Double Hanging Locker: teak panelled doors, 2 hanging rails & hooks. Saloon: two settee berths extending to the side of the boat. Lee boards formed by brackets when required. Port berth converts to double berth. Stainless steel water tanks under berths. Fixed large dining table with 2 large leaves and bottle stowage, 450 x 320 opening hatch over table. Lockers & cupboards behind and above seatbacks. Wrap around backrest & berth cushions. Curtain track & runners in all cabins & heads. Wet stowage beneath companionway steps. Galley: 2 burner gas cooker with grill & oven incorporating flame failure cut-out device on oven. Twin stainless steel sinks. Chrome mixer tap. Hot & cold water supply. Insulated cold box with 12v. refrigeration unit and pumped drainage. Work surfaces. Stowage racks for crockery. Paper towel rack. Drawers. Emergency water supply foot pump. Pan lockers. Rubbish bin. Chart table, spacious chart table with chart stowage. Separate navigator's seat. Ample space for instrumentation both forward & outboard of table. Drawers under. Walkthrough to Owner's Cabin: two tiered single berths with cushions, and lee cloths. Access to engine compartment. Owner's Aft Cabin: owner's cabin and aft heads open off dressing area with shoe lockers, shelves & hanging lockers. Single settee berth to port. Single berth to starboard converts to double, with cushions. Lockers across transom and below side decks port & starboard. Aft Heads: hot & cold pressure water supply to stainless steel basin & shower. Pumped shower drainage. Teak grating, shower curtain rail. Opening Ports: one in aft heads, one in walkthrough. Fixed Windows: 2 in forward cabin, 1 in forward heads, 1°in forward bulkhead, 2 in aft cabin *, 1 in sail locker, 1 in cockpit walkthrough. Marine heads with accessible seacocks. Locker shelves. Water Tankage: 110 gallon in 2 stainless steel tanks. Electrics: the standard circuit breaker panel is located in chart area, consisting of modular electrical control panel, socket for wandering lead, volt meter & switch to test battery state. Lighting on board is as follows; 2 reading lights forward: 1 light in heads, forward: 5 reading lights in saloon: 2 lights in galley: 1 light in chart area: 1 flexible light at chart table: 2 berth lights in walkthrough, 2 berth lights in aft cabin: 1 flat light in aft cabin over hanging locker. Electric bilge pump.

INSTRUMENTATION: Water speed and log and depth sounder (analogue) fitted at snood.

* Two opening ports (substituted in ketch rig).

ENGINE: Volvo 2003T 3 cylinder diesel flexible mounted. 50 amp/hr. alternator. Water cooled exhaust. Electric start. Remote single leaver controls in cockpit. Remote stern gland greasing. Light in engine compartment. Sound deadening. 3 bladed propeller. 2 x 102 amp/hr. batteries in secured stowage. Battery state indicator. Battery change over switch. Engine access from hatches on forward & both sides of engine compartment. Calorfier using engine to heat fresh water for showers & sinks. Engine instrument panel in cockpit. 45 gallon steel diesel fuel tank.

GENERAL: White hull. Fin keel. Deck Treadmaster. Blue moulded trimline. Alloy framed windows. Teak rubbing strake. Cove line. Blue antifouling. Blue waterline stripe. Bronze seacocks & underwater skin fittings. Self-draining cockpit. Bilge pump. Cathodic protection.

LLOYD'S HULL CONSTRUCTION CERTIFICATE

TERMS OF BUSINESS

- A £500 deposit and the Purchaser's signature upon this specification form reserves a boat at the current price pending preparation of a contract by Westerly Yachts Limited. This specification is not the contract and the deposit is returnable to the Purchaser if a contract is not signed.
- One third of the total price, less the initial £500 deposit payable upon signature of the contract. When the contract is signed by the Purchaser and returned a delivery date will be confirmed and the contract will be signed by Westerly Yachts Limited.
- The balance outstanding is payable ten days before completion of the boat at the factory. The boat as described, to specifications and standard inventory are liable to change according to availability of bought in and manufactured supplies. Some items shown in photographs are not included in the standard price.
- 4 For other conditions see our standard Terms and Conditions of Sale which are printed on the final page.

HULL AND DECK CONSTRUCTION

HULL

Hand-laid in our workshop using best quality material under carefully controlled conditions of temperature and humidity. A Lloyd's Hull Construction Certificate is supplied as standard. The hull shell is stiffened and supported by stringers, frames and floors.

The standard hull colour is white with moulded in broad blue trim line.

DECK

Hand-laid using a mixture of chopped strand mat and woven rovings with reinforcement in areas of high stress, such as the chainplate area. The coachroof and sidedecks are of a GRP/Balsa sandwich construction which gives great resistance to flexing as well as sound and heat insulation. A hardwood kingplank is incorporated into the foredeck. Hardwood pads under deck fittings where appropriate.

RUDDER

Solid 2 ¾" diameter stainless steel stock of 316 specification with a welded stainless steel plate forming the core of the rudder blade.

KEEL

Solid 8,000 lb. cast drilled and tapped to take stainless steel studs of 24mm. diameter. Each keel stud is secured by a nut and locking nut and the load is spread evenly by the use of stainless steel backing plates.

CATHODIC PROTECTION

Zinc anode fitted and wired to stern gear. 'P' bracket and engine water inlet.

RIG OPTIONS

C'FWD

SLOOP

	OPTIONS		DECK FITTINGS
SD13	OPTIONS NO. 2 JIB	CSD31 □	SPINNAKER GEAR (SHEETS, DOWNHAUL ETC)
SD14	STORM JIB	CSD32 □	CRUISING CHUTE DECK GEAR (SHEETS,
SD15	CRUISING CHUTE RADIAL HEAD	CSDS2	DOWNHAUL, HALYARDS ETC)
SD16	NO. 1 GENOA	CSD34	LIFELINES - PVC COVERED
SD17	NO. 2 GENOA	CSD35	GATES IN LIFELINES PORT & STARBOARD
SD18	LIGHT WEIGHT GENOA	CSD36 □	JACKSTAY LIFELINES ON SIDE DECKS
SD19	SPINNAKER RADIAL HEAD	CSD37 □	DODGERS - BLUE
SD110	SPINNAKER POLE & DECK STOWAGE	CSD38 □	- BEIGE
CSD123 □	SPINNAKER POLE & MAST STOWAGE	CSD39 🗀	NAME ON DODGERS
SD112 □	MAINSAIL COVER- BEIGE	CSD311 □	COCKPIT CUSHIONS - STATE COLOUR REQ'D
SD116 □	INSULATED BACKSTAY VIA 3 INSULATIONS		(BLUE, GOLD, RED, WHITE)
CSD117 🗆	ROTOSTAY REEFKIT WITH SPECIAL NO. 1 GENOA & SUNCOVER IN LIEU OF STAN-	CSD327 🗆	FOLDING SPRAYHOOD - BLUE
	DARD JIB INCLUDING A BARLOW 23C CONTROL WINCH	CSD328 □	- BEIGE
		CSD315	FIXED POLYCARBONATE WINDSCREEN
CSD118	SECOND GENOA HALYARD FIRDELL BLIPPER RADAR REFLECTOR ON	CSD316	FIXED POLYCARBONATE WINDSCREEN & SPRAYHOOD - BLUE
	MAST	CSD317 🗆	- BEIGE
CSD120 □	NYLON SHROUD ROLLERS RIGGING SCREW COVERS	CSD319 □	TEAK LAID FOREDECK, SIDE DECKS AND COAMINGS
CSD121	WIRE HALYARDS WITH ROPE TAILS, MAIN	CSD320□	TEAK LAID FOREDECK, SIDE DECKS COAM- INGS AND COACH ROOF
		CSD323 🗆	TREADMASTER DECK - BEIGE
	KETCH	CSD325 □	COCKPIT COAMINGS - BEIGE
SUPPLIED AS FOR	SLOOP PLUS :- NODISED MIZZEN MAST AND BOOM WITH RUN- IIZZEN SAIL WITH BLUE SAIL COVER. SPLIT	CSD326□	COCKPIT COAMING LOCKER, ONE ONLY IN STARBOARD COAMING NOTE: THIS IS NOT AVAILABLE IF AN AUTOPILOT IS FITTED.
BACKSTAY.	TEACH SALE WITH SECTIONS	CSD329 □	U.S. GAS SYSTEM
CSD24 □	NO. 2 JIB	CSD340 □	STAINLESS STEEL BOARDING LADDER
CSD25	STORM JIB		
CSD26	CRUISING CHUTE RADIAL HEAD		WINCH OPTIONS
CSD27	NO. 1 GENOA	•	
CSD28	NO. 2 GENOA	FORESHEET	
CSD29	LIGHT WEIGHT GENOA	CSD261	BARLOW 32CST OR EQUIVALENT IN LIEU OF STANDARD
CSD210 □	SPINNAKER RADIAL HEAD		
CSD211 □	SPINNAKER POLE & DECK STOWAGE	MAINSHEET	
CSD224 □	SPINNAKER POLE & MAST STOWAGE		MAIN HALYARD
CSD213 🗆	MAINSAIL COVER- BEIGE	CSD264 🗆	BARLOW 25CST OR EQUIVALENT IN LIEU OF STANDARD
CSD215 🗆	MIZZEN COVER - BEIGE		JIB HALYARD
CSD217	INSULATED BACKSTAY VIA 3 INSULATORS	CSD266 □	BARLOW 24CST OR EQUIVALENT IN LIEU
CSD218 □	ROTOSTAY REEFKIT WITH SPECIAL NO. 1 GENOA WITH SUNCOVER IN LIEU OF STAN- DARD JIB INCLUDING A BARLOW 23C CON- TROL WINCH	MIZZEN HALYARD	OF STANDARD
	SECOND GENOA HALYARD		SPINNAKER
CSD219 □	FIRDELL BLIPPER RADAR REFLECTOR ON MAST	CSD268 □	2 X TWO SPEED TOP ACTION 10:8.1 & 446.1 BARLOW 27C OR EQUIVALENT
CSD221	NYLON SHROUD ROLLERS		
CSD222		TOTAL	. /Continued
TOTAL	Continued	B'FWD	•
			•

C'FWD

CSD223 WIRE HALYARDS WITH ROPE TAILS MAIN &

	CABIN FITTINGS	CSD438 □	FLY SCREEN FOR FORWARD HEADS HATCH
CSD42	240V. SHORE SUPPLY WITH RING MAIN, DISTRIBUTION PANEL THREE OUTLET SOC- KETS, ONE PER CABIN, WATERPROOF IN- PUT SOCKET IN COAMING WITH PLUG & 40'	CSD440	ADDITIONAL 12" TEAK GRAB HANDLES. PLEASE SUPPLY A SCALE DIMENSIONAL DRAWING OF POSITIONS REQUIRED. (PRICE EACH)
_	CABLE SUPPLIED	CSD445 □	OPENING WINDOW - AFT CABIN INTO COCKPIT IN LIEU OF STANDARD
CSD43 □	BUTION PANEL WITH AMMETER, THREE OUTLET SOCKETS, ONE PER CABIN. WATER-	CSD446 □	FLY SCREEN FOR OPENING WINDOW AFT CABIN INTO COCKPIT
	PROOFED INPUT SOCKET IN COAMING WITH PLUG & 40' CABLE. AUTOMATIC MARINE BATTERY CHARGER UNIT	CSD447 🗆	OPENING WINDOW - WALKWAY INTO COCKPIT IN LIEU OF STANDARD
CSD44 □	240V. IMMERSION HEATER, ONLY AVAILABLE WITH RING MAIN OPTION	CSD448	FLY SCREEN FOR OPENING WINDOW WALK- WAY TO COCKPIT
CSD45 □	110V. SHORE SUPPLY RING MAIN - SPEC- IFICATION AS FOR 240V.	CUS	HION COLOUR OPTIONS
CSD46 □	110V. SHORE SUPPLY WITH 110V. MARINE BATTERY CHARGING UNIT SPECIFICAT- ION AS PER 240V. SY STEM	VELVETS	·
CSD47	110V. IMMERSION HEATER, ONLY AVAIL- ABLE WITH RING MAIN OPTION	CSD453	WESTERLY BLUE SKY
CSD48	ADDITIONAL 8 WAY CIRCUIT BREAKER AT	CSD454 □	WESTERLY OYSTER
	CHART TABLE	CSD455	WESTERLY SAGE
CSD49 □	ADDITIONAL 12 WAY CIRCUIT BREAKER PANEL AT CHART TABLE	CSD456 □	WESTERLY SALMON
CSD410	HOLDING TANKS FOR FORWARD HEADS	TWEEDS	
CSD411	HOLDING TANKS FOR AFT HEADS		WESTERLY RUSSETT
CSD412 □	DIESEL CENTRAL HEATING WITH 3 OUTLETS ONE PER CABIN	CSD458	WESTERLY SEA GREEN
CSD413 □	FUEL FILTER/WATER SEPARATOR	CSD459	WESTERLY BLUE SEA
CSD414 □	12V/240V TRANSHAVE - IN FORWARD HEADS	TAPESTRY	WESTERLY CHAMPAGNE
CSD415 □	12V/240V TRANSHAVE - IN AFT HEADS	CSD461 🗆	WATERMARK BLUE
CSD417 □	OPTIMUS COOKER - 3 BURNER & OVEN	CSD462 □	WATERMARK BEIGE
CSD417	(NO GRILL)		WATERWARK BEIOR
CSD41			
_	(NO GRILL)		ENGINE
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER	CSD62	
CSD419	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY		ENGINE
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL	CSD62	ENGINE ADDITIONAL 3RD, BATTERY
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO
CSD411	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON	CSD62	ENGINE ADDITIONAL 3RD. BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS
CSD41	(NO GRILL) ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL.
CSD41	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS, TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK
CSD411	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS, TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS.
CSD41	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200 FLY SCREEN FOR FORWARD HATCH	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS, TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS, 12V. SUPPLY
CSD411	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS, TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS, 12V. SUPPLY
CSD411	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200 FLY SCREEN FOR FORWARD HATCH ROLLER BLIND FOR FORWARD HATCH	CSD62	ENGINE ADDITIONAL 3RD. BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX. CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS. 12V. SUPPLY AUTOHELM 5000 AUTOHELM 5000
CSD411	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200 FLY SCREEN FOR FORWARD HATCH ROLLER BLIND FOR FORWARD HATCH FLY SCREEN FOR AFT CABIN HATCH	CSD62	ENGINE ADDITIONAL 3RD, BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX, CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS. 12V. SUPPLY AUTOHELM 5000 AUTOHELM 5000 MAST GROUNDING
CSD41	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200 FLY SCREEN FOR FORWARD HATCH ROLLER BLIND FOR FORWARD HATCH FLY SCREEN FOR AFT CABIN HATCH ROLLER BLIND FOR AFT CABIN HATCH	CSD62	ENGINE ADDITIONAL 3RD. BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY VHF AERIAL & CO.AX. CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS. 12V. SUPPLY AUTOHELM 5000 AUTOHELM 5000 MAST GROUNDING
CSD411	ADDITIONAL FIRE EXTINGUISHER SEAWATER PUMP AT GALLEY ADDITIONAL BILGE PUMP - ELECTRICAL - MANUAL OPENING WINDOWS - MAIN SALOON PORT & STARBOARD - FLY SCREENS FOR MAIN SALOON OPENING WINDOWS - AFT CABIN (SLOOP) - FLY SCREENS FOR ABOVE - FLY SCREENS FOR OPENING PORTS (KETCH RIG) FLY SCREENS FOR HATCH ABOVE SALOON TABLE ROLLER BLIND FOR HATCH ABOVE SALOON TABLE HATCH IN AFT HEADS 200 X 200 FLY SCREENS FOR EXTRA HEADS HATCH 200 X 200 FLY SCREEN FOR FORWARD HATCH ROLLER BLIND FOR FORWARD HATCH FLY SCREEN FOR AFT CABIN HATCH ROLLER BLIND FOR AFT CABIN HATCH ROLLER BLIND FOR AFT CABIN HATCH	CSD62	ENGINE ADDITIONAL 3RD. BATTERY ENGINE HOUR METER ENGINE SPARES KIT - VOLVO VIGATION EQUIPMENT MECHANICAL SUMLOG SPEED & DISTANCE INDICATOR MOUNTED IN COCKPIT RACAL DECCA VHF RADIO WITH AERIAL WIRING ONLY FOR RADIO & AERIAL INCL. THROUGH DECK PLUGS. TAILS AT CHART TABLE WITH 12V. SUPPLY. VHF AERIAL & CO.AX. CABLE & DECK PLUGS TO CHART TABLE INCL. 12V. SUPPLY LEADS V-TRONIX COMBINED VHF AERIAL & HAWK INDICATOR FITTED AT MASTHEAD INCL. CO.AX. TO CHART TABLE & DECK PLUGS. 12V. SUPPLY AUTOHELM 5000 MAST GROUNDING //Continued

.

MARINER EQUIPMENT **GENERAL** CSD553 WATER SPEED TRIP LOG CSD81 CRADLE CSD554 WIND SPEED CSD82 D.T.I. REGISTRATION CSD555 WIND SPEED/DIRECTION METER CSD83 DELIVERY TO HAMBLE POINT CSD556 WIND SET: WIND SPEED/DIRECTION/CLOSE CSD84 □ HAULED **EXPORT DOCUMENTATION** CSD557 REPEATERS FOR DEPTH/WIND (PRICE EACH) WINTERISE ENGINE INCLUDING CSD85 UDING A FULL TANK OF DIESEL DECCA CSD86 DE - WINTERISE ENGINE CSD537 ANTENNA FOR DECCA 3 CSD87 SHRINK WRAP CSD538 DECCA 3 CSD812 NETTING FOR TRANSPORT IN ADDITION TO SHRINK WRAP CSD539 POWER SUPPLY ONLY FOR DECCA 3 CSD88 NAME ON STERN................ SEAFARER EQUIPMENT (MANDATORY FOR BOAT REGISTRATION) CSD512 SEAFARER 5 ECHO SOUNDER AT CHART TABLE CSD89 DELIVERY OTHER THAN HAMBLE POINT OR AT DEALER: CSD513 SEAFARER 5 ECHO SOUNDER REPEATER IN COCKPIT ADDRESS...................... BROOKES & GATEHOUSE FOLLOWENT CSD533 HORNET 4 WITH ANALOGUE REPEATERS CSD534 □ HORNET 4 WITH DIGITAL REPEATERS CSD535 HECTA DEPTH MONITOR WITH ALARM - ANALOGUE REPEATER CSD536 - DIGITAL REPEATER CSD810 **BOAT LIFT COST TO OWN TRANSPORT** CSD811 **BUILDERS CERTIFICATE *** PLASTIMO EQUIPMENT CSD545 SELF POWERED WIND SPEED INDICATOR CSD546 LOG SPEEDOMETER CSD547 DEPTH SOUNDER PLEASE NOTE DETAILS GIVEN ABOVE CSD548 WIND SPEED/DIRECTION & CLOSE HAULED MUST CORRESPOND WITH NAME AND ADDRESS ON CONTRACT & REGIST-RATION DOCUMENTS (IF APPLICABLE) B'FWD INDICATOR CSD549 COCKPIT "COMBINE" COCKPIT "COMBINE" WITH ANEMOMETER (PLEASE NOTE COCKPIT "COMBINE" MUBE FITTED AS A SEPARATE SYSTEM) CSD550 C'FWD MUST CSD72 MOULDED TRIM LINE - MAROON CSD74 ANTIFOULING ALTERNATIVE COLOUR * CSD78 OTHER COLOUR *

TOTAL	/Continued		
B'FWD			

CODE.

PLEASE NOTE:

CUSTOMER SUPPLIED SKIN FITTINGS, THESE MUST BE SUPPLIED BY CONTRACT FREEZE DATE AFTER WHICH DATE THEY MAY NOT BE FITTED. FULL FITTING INSTRUCTIONS MUST BE INCLUDED BY OWNER.

HULL WARRANTY

IF USING ETCH PRIMER ANTIFOULING

VOID

SYSTEMS.

CSD79

C'FWD

Purchaser's name in full .	• • • • • • • • • • • • • • • • • • • •	Dealer's name (if applicable)
Address		Address
Post code		Post code
Day Telephone No		
Home Telephone No		
FINANCE — Company (if	applicable)	
Name & Address		• • • •
		••••
Contact		
Telephone no		Loan details
PART EXCHANGE DETA	AILS:	
	VALUA	TION Part exchange offer
		<u> </u>
WESTERLY OWNERS AS	SS. INFORMATION YE	S
PAYMENT DETAILS		
Total Contract (ex VAT)		
VAT @ 15%		
TOTAL		
Deposit Due/Received	Date	ıe
First payment due		
Finance Payment due Date		
Part Exchange allowance (if applicable)	
Balance due 10 days befor	e completion	
FOR INTERNAL USE ON	ILY	
Contract Freeze Date		
Order Confirmation sent.	Date	ed
Freeze Date confirmation :	sent Date	ed

STANDARD CONDITIONS OF SALE

PRELIMINARY

(a) In these Conditions of Sale the "Company" shall mean WESTERLY YACHTS LIMITED (b) These Conditions shall apply to any contract between the Company and any person, firm or company ("the Purchaser") placing an order with the Company in respect of any goods, components, products or other items or services ("the Products")

(c) "International Sales" means those sales of products where the Purchaser's place of business (if any) or normal residence is outside the United Kingdom of Great Britain and Northern Ireland ("the UK") and "UK Sales" means all other sales

ORDERS

ORDERS

3

Ireland ("the UK") and "UK Sales" means all other sales

ORDERS

(a) The Company will be under no liability for any order received until the order is accepted by the Company in writing by signing its Contract form ("the Contract")

Any offer which is contained in any Contract may be withdrawn at any time prior to its signature by the Company and will automatically be withdrawn under the terms of this condition if it is not returned duly signed by the Purchaser within 30 days of despatch to the Purchaser

(c) An accepted order may only be cancelled or varied with the Company's consent and the giving of this consent shall not in any way prejudice the Company's right to recover from the Purchaser full compensation for any loss or expense arising from such cancellation or variation.

(d) Any offer, order, sale and/or delivery or any conduct in confirmation of any transaction will be subject only basis upon which the Company conduct in confirmation of any transaction will be subjected by the control of the confirmation of any transaction will be subjected to any purchase order or other document prepared by or on behalf of the Purchaser of the order of the conditions contained or referred to in any purchase order or other document prepared by or on behalf of the Purchaser undertaking or understanding of any kind unless expressly confirmed in writing by the Company shall add to, vary or waive any of these terms and conditions

VARIATIONS

(a) If the Purchaser wishes to vary, increase or modify the standard equipment or options contained in the Company's boot specification then the Company may at its discretion agree to such change but if it does so agree then it will do so on terms that the prior of the boat and by 100% if such change is after the completion of the work in hull stage of manufacture of the boat and by 100% if such change is after the completion of the work in hull stage of manufacture of the boat and by 100% if such change is after the completion of the work in hull stage of manufacture of the boat and

the work in hull stage
(b) No variation, increase or modification to non-standard equipment or options shall be allowed PRICES
Prices for the Production

for the Products are Net ex works and do not nclude

VAT or any other sales taxes;

Insurance; The cost of unloading, effecting delivery and commissioning in accordance with the terms

and
(iv) Any special packing or alteration to the order
required by the Purchaser
all of which charges shall (if applicable) be shown in
addition to the price for the Product in the Contract
PAYMENT

on to the price for the Product in the Contract AENT
Unless otherwise agreed in writing payment of one third of the total contract price shall be made at the time of signature of the Contract (less any deposit already paid) and the balance (together with any extra costs payable in accordance with these Conditions) shall be paid not later than 10 days before the date notified by the Company to the Purchaser as the estimated date of completion of manufacture Failure by the Purchaser to pay in accordance with the provisions of this condition shall entitle the Company, without prejudice to its rights to damages, to suspend any outstanding work or deliveries or to cancel the Contract In addition to the Company's rights under sub-condition (b) the Company shall be entitled to charge interest on any amounts outstanding (both before and after judgment) at the rate of 3 per cent above the Barclays Bank base rate for the time being in force
Payments by letter of credit shall only be made if so designated on the face of the Contract and it this does apply all costs including bank charges shall be for the account of the Purchaser and all letters of credit shall bear.

(i) In favour of the Company.

(b)

(c)

(d)

ters of credit shall be: In favour of the Company;
Consistent with the provisions of these terms and conditions;
In sufficient amounts and for the period necessary to meet with all payment obligations hereunder;
Irrevocable, transferable and divisible; and

and (v) Issued or confirmed by a Bank in London acceptable to the Company within fifteen days after the date of the Contract DELIVERY AND PASSING OF RISK (a) The risk in the Products passes to the Purchaser of adultyery

(b)

The risk in the Products passes to the Purchaser on delivery Where delivery is to take place at the Company's works delivery shall actually occur (and risk shall therefore pass) at the time when the Products are placed onto the Purchaser's transport. The Purchaser shall be responsible for securing

(c)

the Products to such transport
Where delivery is to take place other than at the
Company's works then:—

(i) If the Company is not commissioning the
Product then delivery shall actually occur
(and risk shall therefore pass) when the
Products arrive at the place of delivery.
The Purchaser shall be responsible for
unsecuring and unloading the Products
(ii) If the Company is commissioning the
Product then delivery shall actually occur
(and risk shall therefore pass) when the
Product then delivery shall actually occur
(and risk shall therefore pass) when the
Product then delivery shall actually occur
(and risk shall therefore pass) when the
Product then delivery shall actually occur
(and risk shall therefore pass) when the
product the Products in accordance with dates
specified but failure to comply with such dates
shall not constitute a breach of this Agreement
and dates of delivery are approximate only and
are not of the essence of the Contract
Where the Purchaser notifies the Company that
it is unable to take delivery of the Products and
accordance with the date stated in the Contract
or within seven days of the Company giving
notice that the Products are ready for despatch,
the Company without delay all costs and storage
charges incurred by the Company unitable the
Company without delay all costs and storage
than the Purchaser shall reimburse the
Company without delay all costs and storage
shape and the Purchaser shall reimburse the
Company or all subsequent deliverers and the
Purchaser shall compensate the Company may
cancel any or all subsequent deliverers and the
Purchaser shall compensate the Company such
cancellation.

The Company will package the Products to pro-

full for any loss or expense arising from such cancellation.

(g) The Company will package the Products to protect them during transit by normal means for a normal period. The Purchaser shall pay for any additional packaging which it may specify PASSING OF PROPERTY Until the Company has received full payment in respect of the Products:

(a) The Company shall retain property in the Products:

The Company small retain project visities do sell the Pro-ducts. The project is a small retain project visities and pass the property in the same to bird parties in the normal course of business until the events set out in (el below, but the proceeds of resale and/or the claim to such pro-ceeds will be held in trust for the Company until such time as all sums owing to the Company in respect of the sale of such Products have been paid.

such time as all sums ownig to the Company in respect of the sale of such Products have been paid.

Until such sums have been paid the Purchaser shall, subject to the terms of this Condition, retain the Products in a fluciary capacity.

(c) The Company shall be entitled at any time while any monies in respect of the Products are outstanding to notify the Purchaser of its intention to retake position the Purchaser of its intention to retake position the Purchaser substitution to the happening of any of the events set out under (a) below the Purchaser suthority to sell the Products shall be withdrawn and all proceeds of sale received by the Purchaser from sale made prior to the withdrawn and all proceeds of sale received by the Purchaser incomes and held in such account for the Company, Further all Products shall be immediately redelivered to the Company and it by its servants or agents shall have the right during normal business hours to enter upon any land or buildings to tenter upon any land or buildings to tenter upon any land or buildings to tenter upon any land or buildings to the products to enter upon any land or buildings to the products in to be or has been presented or any notice that a petition to wind up the company is to be or has been presented or any notice of a resolution to wind up the company lawer for the purpose of a reconstruction or amalgamation):

(iii) A decision by the Purchaser that it intends to make an arrangement with its cred

io wind up the company (save for the purpose of a reconstruction or amalgamation);

(iii) a decision by the Purchaser that it intends to make an arrangement with its creditors;

(iv) any act of bankruptcy as defined by Sections;

(iv) any act of bankruptcy as defined by Section 1 of the Bankruptcy Act 1914

SPECIFICATIONS

All specifications are approximate only and are subject to normal margins of tolerance for the materials and construction in question. Whilst the Company will endeavour to manufacture the Products in accordance with the specifications prevailing at the time of the Contract it reserves the right notwithstanding the above to vary the specifications without notice in the light of changes in technical knowledge, production techniques, Government or other regulations, concideration for safety or other reasonable company of Product company of Product company of the Contract by the Company of the Contract by the Company of the Contract by the Company of the Contract of the Contract of the Purchaser shall have no claim for defects apparent on visual inspection unless (i) the Purchaser shall have no claim for defects within three working days of delivery; and a written complaint is made to the Company (iii) a written complaint is made to the Company is given an opportunity to inspect the Products and investigates of the Products;

in International Sales where delivery is to be made in the UK inspection and claims must be made whilst the Product is in the UK to allow the Company to inspect the Product which is the subject of complaint in the UK and the Purchaser must, if necessary, appoint an agent to carry out such inspection on his behalf

his behalf
bit for a complaint is not made to the Company as herein provided then the Products shall be deemed to be in all respects in accordance with the Contract and the Purchaser shall be bound to pay for the same accordingly.

DEFECTS NOT APPARENT ON INSPECTION
[a) The Purchaser shall have no claim in respect of defects not apparent on visual inspection at the time of delivery unless.

defects not apparent on visual inspection at the time of delivery unless

(i)

a written complaint is sent to the Company as soon as reasonably practicable after the defect is discovered and no alteration made thereto before the Company is given an opportunity in accordance with sub-condition (d) of this Condition to inspect the Products; and the complaint is sent within twelve months of the date of delivery of the Products in UK Sales and within 90 days of the date of delivery in International Sales or in the case of items not manufactured by the Company within the guarantee period specified by the manufacturer of such them.

(b) The Purchaser shall not be entitled to any claim

specified by the manufacturer of such term. The Purchaser shall not be entitled to any claim in respect of any repairs or alterations understaken by the Overhaer without the prior specific written content of the Company nor in respect of any defect arising by reason of fair any defect arising by reason of fair and the company shall not be liable for loss or damage suffered by reason of continued use of the Products after the Purchaser becomes aware of a defect or after circumstances which should reasonably have indicated to the Purchaser the existence of a defect. The Company may within fifteen days of receiving such a written compliant (or twenty eight days where the Products are situated outside the UK) inspect the Products and the Purchaser if so required by the Company shall take all steps necessary to enable the Company to do RANTY

chaser if so required by the Company shall take all steps necessary to enable the Company to do so WARRANTY

[a] The Company will make good by replacement or at its option by repair all delects in Products which have been manufactured by the Company and which arise solely from faulty design (other than a design made, furnished or specified by the Purchaser for which the Company has disclaimed responsibility in writting) materials and workmanship PROVIDED THAT all such defects are reported to the Company in writing in accordance with the terms of clauses 9 and 10 above. The warranty does not cover damage to the Products caused by accident, misuse, acts of third parties, environmental conditions or other causes beyond its control.

(b) Products incorporating the defective parts for the Products incorporating the defective parts for the Products without damaging it) must at the Company's option be returned to its works. The Company shall refund the cost of carriage on such returned Products or parts and the repaired or new parts will be delivered by the Company. Where Products are repoired or in a considered as having been delivered at the same time as the original Products.

[c) Where claims are made by the Purchaser under this condition the Company is hall use all reasonable endeavours to meetify the problem as soon as practicable. The parties hereto accept that such rectification may take a longer time during those monitors of the year (in the Spring and Summer of which are popular for sailing and that it is the company's repended so complaints to keep its Purchasers sailing in Secondary is received by the warranty it reserves.

and Summer; which are pupular to same that it is the Company's intended objective in responding to complaints to keep its Purchasers saling in safety.

(d) Wing in safety was a same and the same and the same are same and the same are sam

contained in Section 12 of the Sale of Goods Act 1979
The Company hereby expressly excludes and shall not be responsible for any other loss damage or liability arising out of the Contract whether direct or indirect or consequential and whether or not caused by its negligence including but without prejudice to the generality of the foregoing loss of profits or other economic loss

omic loss SECOND HAND SALES The terms of clauses 9, 10 and 11 do not apply to sale of second hand Products which are sold as seen. Unless otherwise stated demonstration Products are sold as new CHARTERING

15

CHARTERING
The warranty contained in Condition 11 above shall apply to Products which are to be used for chartering or for other business purposes with the modification that complaints in respect of defects not apparent on visual inspection must be sent within 90 days of the date of felieves.

or for other business purposes with the modification that complaints in respect of defects not apparent on visual inspection must be sent within 90 days of the date of delivery DATA AND TECHNICAL INFORMATION. The information contained in the advertising sales and technical literature issued by the Company may be relied upon to be accurate in the exact circumstances in which it is expressed otherwise any. Historian expectations performance details examples of installations and methods of assembly and all other there and from trials under test conditions. Accordingly the information contained in the Company and forms no part of the Contract unless expressed of may lead to the contained of the Contract unless expressed of the contract unless expressed of the contract unless expressed in the contract of the contract of

all or any of its rights and obligations hereunder TERMINATION

If the Purchaser becomes insolvent or in the opinion of the Company is likely to go into bankruptcy, receivership or liquidation, or makes default in or commits a breach of the Contract, the Company may forthwith on written notice to the Purchaser terminate the Contract without incurring liability to the Purchaser and without prejudice to the Company's rights which may have accrued up to the date of termination CONSTRUCTION

No variation or addition to these Conditions shall be effective unless contained on the face of the Contract or in a written instrument signed by a Director or the Secretary of the Company

GOVERNING LAW

The interpretation and application of the Contract

The interpretation and application of the Contract

GOVERNING LAW
The interpretation and application of the Contract shall be in accordance with English Law and both parties hereby agree to submit to the non-exclusive HEADINGS.
The section headings contained herein are for convenience of reference only and shall not affect the Interpretation of any term or condition hereof CUMULATION OF REMEDIES
All remedies available to either party for breach of this Contract are cumulative and may be exercised concurrently or separately, and the exercise of any one remedy shall not be deemed an election of such remedy to the exclusion of other remedies.

NOTICES
Any notice or other communication.

NOTICES
Any notice or other communication hereunder shall be in writing, (which includes telex) and shall be duly given when actually delivered to the Company or the Purchaser at its address on the face of this Contract or such other address as may from time to time (by written notice to the other party) have been designated for such purpose